

ONLINE AUCTION

CORPORATE ASSETS INC

Surplus Assets of
NUCAP US INC.



Wednesday, March 20

MARK YOUR CALENDARS!

10:30 AM EDT

238 Wolcott Road,
Wolcott, CT, USA, 06716

INSPECTION: Tuesday, March 19 from 9 AM to 4 PM.

LIVE WEBCAST ONLY BidSpotter

MAJOR WIRE FORMING & STAMPING EVENT!



AUCTION CONDUCTED BY:

CORPORATE ASSETS INC

“Let Our Experience Be Your #1 Asset”™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

WELL MAINTAINED STRAIGHT SIDE STAMPING PRESSES AVAILABLE



56" X 62" BED AREA

MINSTER E2-250-54-36 HEVI-STAMPER 250 ton capacity mechanical straight side stamping press



2005

50-100 SPM


2 AVAILABLE

KOMATSU E2W110 110 ton capacity mechanical eccentric straight side stamping presses



50-150 SPM

MINSTER E2-200-54-36 HEVI-STAMPER 200 ton capacity mechanical straight side stamping press



20" SHUT HEIGHT

MINSTER P2-100-54 PIECE-MAKER 100 ton capacity mechanical straight side stamping press

PARTIAL LISTING OF MECHANICAL STRAIGHT SIDE STAMPING PRESSES

MINSTER E2-250-54-36 HEVI-STAMPER 250 ton capacity mechanical straight side stamping press with METALFORM PRESS-MASTER control, 35 SPM, 6" stroke, 6" slide adjustment, 21" shut height, 23"x52" windows, air clutch, 36"x54" bolster, 36"x54" ram, 56"x62" bed area, ISB PULSE-AIR electric air injection control system, lubrication system, safety guards, s/n: E2-250-23166

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION

LARGE OFFERING OF STAMPING PRESSES AND FEED EQUIPMENT



90 SPM

MINSTER NO. 7 75 ton capacity mechanical OBI punch press



8" SHUT HEIGHT

MINSTER NO. 4 32 ton capacity mechanical OBI punch press

2 AVAILABLE



12" MAX WIDTH

RAPID AIR press-mounted servo feeders



12" MAX WIDTH

COE HO93081C 3-roll straightener

20" MAX WIDTH



4,000 LBS CAPACITY

AMERICAN STEEL LINE CO. MODEL 60 uncoiler

PARTIAL LISTING OF MECHANICAL STRAIGHT SIDE STAMPING PRESSES

MINSTER E2-200-54-36 HEVI-STAMPER 200 ton capacity mechanical straight side stamping press with METALFORM PRESS-MASTER digital control, 50-150 SPM, 6" stroke, 6" slide adjustment, 22" shut height, 18"x22" windows, air clutch, 36"x54" bolster, 36"x54" ram, 36"x56" bed area, ISB PULSE-AIR electric air injection control system, lubrication system, safety guards, s/n: E2-200-19161

BLISS HP6200B 200 ton capacity mechanical straight side double crank stamping press with HONEYWELL/WINTRISS digital controls, 0-150 SPM, 4.5" stroke, 3" slide adjustment, 17.75" shut height, 15"x20" windows, air clutch, 36"x60" bolster, 20"x53" ram, 36"x61" bed area, ISB PULSE-AIR electric air injection control system, lubrication system, safety guards, s/n: n/a

MINSTER P2-150-60 PIECE-MAKER 150 ton capacity mechanical straight side stamping press w/ 40-80 SPM, 6" stroke, 4" slide adjustment, 21" shut height, 17"x20" windows, air clutch, 40"x60" bolster, 22"x58" ram, 40"x61.5" bed area, lubrication system, safety guards, s/n: P2-150-23091

MINSTER P2-150-54 150 ton capacity mechanical straight side stamping press with AMETEK GEMCO digital control, 45-90 SPM, 6" stroke, 4" slide adjustment, 23" shut height, 17.5"x20.5" windows, air clutch, 40"x54" bolster, 23"x52" ram, 40"x56.5" bed area, ISB PULSE-AIR electric air injection control system, lubrication system, safety guards, s/n: P2-150-23153

TO SCHEDULE AN AUCTION CONTACT 416.962.9600

CNC SPRING COILERS, FOUR SLIDE FORMERS & MORE AVAILABLE!

2010



0.078-0.236" WIRE CAPACITY

NUCOIL INDUSTRIES HX-60 21-axis high speed CNC spring former

3 AVAILABLE



0.039-0.118" WIRE CAPACITY

NUCOIL INDUSTRIES FX-35 7-axis high speed CNC spring former

2008



0.039-0.118" WIRE CAPACITY

NUCOIL INDUSTRIES HX-35 21-axis high speed CNC spring former

3 AVAILABLE



0.023-0.078" WIRE CAPACITY

NUCOIL INDUSTRIES FX-20 7-axis high speed CNC spring former



75 TON

1/4" MAX. WIRE

NILSON 4-T four slide wire forming machine



4 AVAILABLE

3/16" MAX. WIRE

NILSON S-3-F four slide wire forming machine



2 AVAILABLE

1/8" MAX. WIRE

NILSON S-2-F four slide wire forming machine



3 AVAILABLE

NILSON S-1-F four slide wire forming machine

PARTIAL LISTING OF CNC WIRE FORMING MACHINES & ACCESSORIES

NUCOIL INDUSTRIES (2010) HX-60 21-axis high speed CNC spring former with NUCOIL INDUSTRIES CNC control, 0.078-0.236" wire capacity, s/n: HH-018

NUCOIL INDUSTRIES (2008) HX-35 21-axis high speed CNC spring former with NUCOIL INDUSTRIES CNC control, 0.039-0.118" wire capacity, s/n: HF-011

NUCOIL INDUSTRIES (2004) FX-35 7-axis high speed CNC spring former with NUCOIL INDUSTRIES CNC control, 0.039-0.118" wire capacity, NUCOIL INDUSTRIES (2004) CR-1500 automatic wire decoiler/feeder with 60" dia. table (may be sold separately), s/n: XF-052

NUCOIL INDUSTRIES (2004) FX-35 7-axis high speed CNC spring former with NUCOIL INDUSTRIES CNC control, 0.039-0.118" wire cap., s/n: XF-041

CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION



2000

2 AVAILABLE

MITSUBISHI FX10K CNC wire EDM



MITSUBISHI FA10MD CNC wire EDM



10" X 14" TABLE

SODICK K1C small hole drilling EDM



3 AVAILABLE

10" X 50" TABLE

SOUTHWESTERN INDUSTRIES TRAK K35X CNC vertical milling machines



2 AVAILABLE

SPEEDS TO 4200 RPM

BRIDGEPORT EZ TRAK CNC vertical milling machines



OMCG MODEL 1400 MULTISLIDE wire forming machine

CNC WIRE EDMs

(2) **MITSUBISHI (2000) FX10K** CNC wire EDMs with **MITSUBISHI W11FX2** CNC control, pendant control, travels: X - 13.77"; Y - 9.84"; Z - 8.66", work tank dimensions 31.5"x22.5"x8.5", workpiece weight 1,100 lbs., s/n: 00K10819, 00K10817

MITSUBISHI FA10MD CNC wire EDM with **MITSUBISHI W30FAS-2** CNC control, pendant control, travels: X - 13.77"; Y - 9.84"; Z - 8.66", work tank dimensions 25"x33"x11.5", max. workpiece weight approx. 1,100 lbs., s/n: 56FMD082



SPEEDS TO 1740 RPM

OKAMOTO ACC-16-32ST hydraulic surface grinder



8"X24" ELECTROMAGNETIC CHUCK

THOMPSON MODEL 2F hydraulic surface grinder



12" WHEEL

CHEVALIER FSG-1632A hydraulic surface grinder



2 AVAILABLE

CHEVALIER FSG-618M conventional surface grinder



OKAMOTO L6-12B conventional surface grinder



Partial view of surface grinders available



2 AVAILABLE

HARDINGE HLV-H SUPER-PRECISION toolroom lathes



GROB NS18 vertical band saw

HYDRAULIC SURFACE GRINDERS

OKAMOTO ACC-16-32ST hydraulic surface grinder with 16"x32" electromagnetic chuck, speeds to 1740 RPM, 12" wheel, incremental downfeed, coolant, wheel dresser, paper coolant filtration, s/n: 88181

CHEVALIER FSG-1632A hydraulic surface grinder with 16"x32" electromagnetic chuck, speeds to approx. 1800 RPM, 12" wheel, incremental downfeed, coolant, wheel dresser, paper coolant filtration, s/n: n/a

ROLLING STOCK, MAINTENANCE & FACTORY EQUIPMENT AVAILABLE!



7,000 LBS CAPACITY

CATERPILLAR GC35K-LP LPG forklift



3,750 LBS CAPACITY

CATERPILLAR C4000-LP LPG forklift



2003

500 LBS CAPACITY

JLG 1932E2 24V electric scissor lift



2001

4,500 LBS CAP.

RAYMOND EASI R45TT 36V reach truck



2008

3,000 LBS CAPACITY

RAYMOND SA-CSR30T 48V electric swing turret reach trucks



2000

4,000 LBS CAP.

RAYMOND EASI R40TT 36V reach truck



2011

3,000 LBS CAPACITY

RAYMOND 540-OPC30TT 24V electric ride-on order picker



100 HP

2 AVAILABLE

INGERSOLL-RAND IRN100H-CC 100 HP rotary screw air compressors



INGERSOLL-RAND NVC600A400 refrigerated air dryer



2000 DEG. F. MAX. TEMP.

LUCIFER DL7-B12 electric box furnaces



20' SPAN

5 TON

KONECRANES single girder underslung overhead bridge crane



MILLER welders available

TO SCHEDULE AN AUCTION CONTACT 416.962.9600



MITUTOYO PH-3500 14"
optical comparator



Digital bench-type
tensile tester



Cartridge-type dust
collector



5 AVAILABLE

KURT 6" machine
vises



Partial view of press dies
available



EMPIRE EF-2436 ECONO-FINISH sand blast
cabinets



Partial view of System 3R EDM
tooling available



Partial view of coil material available

ALSO: (20+) PA INDUSTRIES & DURANT power & pull-thru straighteners; (4) KURT 6" machine vises; SYSTEM 3R EDM tooling; (15+) LISTA style tool cabinets; work tables; heavy duty steel work benches; granite surface plates; LARGE OFFERING (over 500,000 lbs!) of coil material and spring wire including HIGH CARBON STEEL, STAINLESS STEEL & GAVINZED STEEL; (3) double end pedestal grinders; a-frame & extension ladders; hydraulic pallet jacks, rolling shop ladders, fireproof cabinets; collapsible wire mesh bins; steel parts bins, (2) 40' storage containers; shop fans; ZEBRA label printers; (20+) heavy duty steel storage racks with 2,000 lb. -15,000 lb. per shelf capacities; (150+) sections of adjustable pallet racking; 5C milling collets; grinding wheels; HUGE SELECTION OF STAMPING & PUNCHING DIES; servers & components; office furniture & MORE!

THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT WWW.CORPASSETS.COM

AUCTION DETAILS

LIVE WEBCAST ONLY

INSPECTION

Tuesday, March 19 from 9 AM to 4 PM or by appointment. Please email info@corpassets.com to arrange.

REMOVAL

All assets must be removed no later than Friday, April 12 BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at www.corpassets.com or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

We Accept



Please visit our website as specific terms and conditions may apply.

BID ONLINE AT: **BidSpotter**

AFFILIATIONS



©2024 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

SURPLUS EQUIPMENT?

TURN IDLE ASSETS INTO
CASH!

WE BUY & SELL YOUR SURPLUS MACHINERY

ONE MACHINE OR ENTIRE PLANTS, WE HAVE OVER 60 YEARS EXPERIENCE TO SELL YOUR EQUIPMENT AT FAIR MARKET VALUE.

CONTACT US TODAY TO LEARN MORE! 416.962.9600



SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES



corpassets.com/newsletter-signup