# CORPORATE ASSETS INC

WELCOME TO THE AUCTION SALE OF:



# BMD TOOL & MACHINE CO LTD.

WEDNESDAY, OCTOBER 2 • 10:30 AM EDT

7060 EDWARDS BLVD., MISSISSAUGA, ONTARIO, CANADA, L5S 1Z1

WE ACCEPT:



Visit www.corpassets.com for specific terms and conditions.

AUCTION CONDUCTED BY:



"Let Our Experience Be Your #1 Asset"™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8 Tel: 416.962.9600 • Fax: 416.962.9601 www.corpassets.com • info@corpassets.com

# **TERMS & CONDITIONS FOR THIS SALE**

- Final payment in full immediately after the auction
- A buyer's premium of 19.0% For all webcast (remote) bidders will apply at this sale
- No payments will be accepted by our site supervisor
- This sale will be conducted in USD.

#### **REMOVAL DETAILS:**

.

•

- All assets must be removed no later than Friday, November 8 BY APPOINTMENT ONLY. Please email info@corpassets.com to arrange.
- No items may be removed while the auction is in progress.
- All buyers must comply with all posted terms and conditions of sale.

**\*RIGGING DETAILS COMING SOON** 

## **NO EXCEPTIONS!**

THANK YOU

\*S'IL VOUS PLAÎT VÉRIFIER LES POINTS AVANT L'OFFRE ET LIRE ATTENTIVEMENT LES TERMES ET CONDITIONS DE CETTE VENTE. For a copy of the terms & conditions of this sale in French, please ask the staff and they will provide.



### TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website www.corpassets.com

- 1. In order to register and participate as a bidder. Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
- 2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
- 3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers. Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "Name of Bank hereby guarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to Amount in Words & Currency for purchases 12. No Purchasers may assign, transfer or dispose of their rights in any article made by our client Name of Client. This letter is valid for purchases made at the auction of Name of Auction being held in City. State/Province on Date."
- 4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee 13. Where available, documents of transfer, including motor vehicle ownership may apply subject to the Auctioneer's discretion.
- 5. A Buyer's Premium as posted on our website or announced, will apply at this sale.
- 6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale
- 7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in guestion may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
- 8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whosoever, including without limitation, any damages for loss of profits.
- 9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/ Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
- 10. ALL SALES ARE FINAL. ON AN "AS IS WHERE IS". "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED IMPLIED STATUTORY OR OTHERWISE INCLUDING WITHOUT LIMITATION. WARRANTIES OR CONDITIONS AS TO TITLE. DESCRIPTION. FITNESS FOR PURPOSE. QUANTITY. QUALITY. MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE, NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO

LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE ADVERTISEMENT ORAL ANNOUNCEMENT OR OTHERWISE DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.

- . No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages, including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site: please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
- purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
- documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
- 14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
- 15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
- 16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided. the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
- 17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs. law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim. iudgment or a citation against the Purchaser(s) and/or any Guarantor(s).

# REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/ Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

- 1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore. properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from www.corpassets.com.
- 2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL. WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER: THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR: LEAVING YOUR WORK AREA IN A BROOM SWEPT MANNER: THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL: THE REMOVAL. OFF THE PREMISES. OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS: ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
- 3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
- 4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
- 5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
- 6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/ Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/ provincial clearance certificate if applicable). employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
- 7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
- 8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
- 9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
- 10. General hours of removal at the premises are Mondav to Fridav from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
- 11. No articles shall be removed while the auction is in progress
- 12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE AFOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC 'S ON-SITE REPRESENTATIVE

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any guestions.

| Lot | Description   | Lot  | Description  | Lot | Description   |
|-----|---|--|--|-----|---|
| 1   | FORTWORTH (2012) VBM-5VHL UNIVERSAL<br>MILLING MACHINE WITH (2) HEIDENHAIN 3<br>AXIS DRO'S, 19.75"X 86.75" T-SLOT TABLE,<br>SPEEDS UP TO 1500 RPM VERTICAL<br>SPINDLE, 1450 RPM HORIZONTAL SPINDLE,<br>POWER DRAWBAR, 50 TAPER SPINDLE,<br>PUSH BUTTON PENDANT CONTROL, | 14   | KAO MING KMR-1100S 4' RADIAL ARM DRILL<br>WITH SPEEDS UP TO 1677 RPM, COOLANT,<br>600V/3PH/60HZ, S/N: 10189 (CI)   | 27  | MICROWEILY TY-1603S GAP BED ENGINE<br>LATHE WITH HEIDENHAIN 2 AXIS DRO,<br>18" SWING OVER BED, 26" SWING IN   |
|     |   | 15   | 5 29.75"X 19.75"X 16" T-SLOT BOX TABLE (CI)  |     | THE GAP, 29" BETWEEN CENTERS, 8" 3  |
|     |   | 16   | CHEVALIER FSG-2040 ADIII CNC HYDRAULIC<br>SURFACE GRINDER WITH CHEVALIER<br>TOUCH SCREEN CNC CONTROL, 20"X 47.5"<br>TABLE, KIN JUNG KET-50100K 20"X 39.5"<br>ELECTROMAGNETIC CHUCK, 13.5" GRINDING<br>WHEEL, COOLANT WITH PAPER FILTRATION |     | JAW CHUCK, SPEEDS UP TO 1600 RPM,<br>2" BORE, COOLANT, IN/MM THREADING,<br>600V/3PH/60HZ, S/N: N/A (CI)   |
| 2   | COOLANT, 600V/3PH/60HZ, S/N: 5VH247 (CI)<br>FORTWORTH (2012) VBM-5VL VERTICAL<br>MILLING MACHINE WITH HEIDENHAIN 3 AXIS   |  |  | 28  | TRADEMARK DY-700 SAW MASTER VERTICAL<br>BAND SAW WITH 28" THROAT, BLADE<br>WELDER, 600V/3PH/60HZ, S/N 71F001 (CI)   |
|     | DRO, 19.75"X 86.5" T-SLOT TABLE, SPEEDS<br>UP TO 1500 RPM, POWER DRAWBAR, 50  | UNIT, CHILLER, 600V/3PH/60HZ, S/N:<br>FRC164001 (CI) |  | 29  | BAXTER VERTICUT 115B VERTICAL BAND<br>SAW, 120V/1PH/60HZ, S/N: 5175 (CI)  |
| 0   | TAPER SPINDLE, COOLANT, 600V/3PH/60HZ,<br>S/N: 5611 (CI)  | 17   | CHEVALIER FSG-1632 ADII AUTOMATIC<br>HYDRAULIC SURFACE GRINDER WITH 16"X   | 30  | K&K VERTICAL BAND SAW, 120V/1PH/60HZ,<br>S/N: 9256 (CI)   |
| 3   | FIRST (2014) LC1-1/2VS MILLING MACHINES<br>WITH HEIDENHAIN 2 AXIS DRO, 9"X 42"<br>T-SLOT TABLE SPEEDS UP TO 4500 RPM<br>INFINITELY VARIABLE, R8 SPINDLE,  |  | 59.5" TABLE, 16"X 31.5" ELECTROMAGNETIC<br>CHUCK, 10" GRINDING WHEEL,<br>INCREMENTAL DOWN FEED, COOLANT WITH   | 31  | LINCOLN ELECTRIC IDEALARC 250 ARC<br>WELDER WITH CABLES AND GUN S/N: N/A<br>(CI)  |
| 4   | 600V/3PH/60HZ, S/N: 30332540 (CI)<br>6" MACHINE VISE  |  | PAPER FILTRATION UNIT, 600V/3PH/60HZ,<br>S/N: N/A (CI)   | 32  | LINCOLN ELECTRIC MIG-PAK 140 MIG<br>WELDER 120V/1PH/60HZ, S/N M3120302289   |
| -   | FIRST (2014) LC1-1/2VS MILLING MACHINES   | 18   | NORTHCOTT-MORRIS MACHINE CO.   | 33  | LOT/ WELDING SUPPLIES   |
| 5   | WITH HEIDENHAIN 2 AXIS DRO, 9"X 42"<br>T-SLOT TABLE SPEEDS UP TO 4500 RPM<br>INFINITELY VARIABLE, R8 SPINDLE,<br>600V/3PH/60HZ, S/N: 30332530 (CI)  | 19   | JN1300DC10 DUST COLLECTOR, S/N: 3134<br>(CI)<br>CHEVALIER FSG-618M MANUAL SURFACE<br>GRINDERS WITH SAV 6"X 18" MAGNETIC<br>CHUCKS, INCREMENTAL DOWN FEED,  | 34  | AWEA (2010) LP4025 CNC 4-AXIS BRIDGE<br>TYPE VERTICAL MACHINING CENTER WITH<br>FANUC SERIES 18I-MB CNC CONTROL,<br>94.50"X 158.25" T-SLOT TABLE, TRAVELS;           |
| 6   | 6" MACHINE VISE   |  | 600V/3PH/60HZ, S/N: FA3156032 (CI)   |     | X- 157.48", Y- 98.42", Z- 29.92", 9.44" TO<br>39.37" DISTANCE FROM TABLE TO SPINDLE   |
| 7   | FIRST (2014) LC1-1/2VS MILLING MACHINES<br>WITH HEIDENHAIN 2 AXIS DRO, 9"X 42"<br>T-SLOT TABLE SPEEDS UP TO 4500 RPM<br>INFINITELY VARIABLE, R8 SPINDLE,  | 20   | CHEVALIER FSG-618M MANUAL SURFACE<br>GRINDERS WITH SAV 6"X 18" MAGNETIC<br>CHUCKS, INCREMENTAL DOWN FEED,<br>600V/3PH/60HZ, S/N: FA3156031 (CI)  |     | NOSE, 106" BETWEEN COLUMNS, 47" UNDER<br>THE RAIL, CAT 50 TAPER SPINDLE, 32 ATC,<br>SPEEDS UP TO 6000 RPM, COOLANT, CHIP<br>CONVEYOR, 220V/3PH/50-60HZ, S/N: 101911 |
| 0   | 600V/3PH/60HZ, S/N: 30332545 (CI)   | 21   | CHEVALIER FSG-618M MANUAL SURFACE  |     | (CI)  |
| 8   | MAS VO50 5' WAY TYPE RADIAL ARM DRILLS<br>WITH SPEEDS UP TO 2500 RPM, PRESELECT,<br>COOLANT, 600V/3PH/60HZ, S/N: 4001 (CI)  |  | GRINDERS WITH SAV 6"X 18" MAGNETIC<br>CHUCKS, INCREMENTAL DOWN FEED,<br>600V/3PH/60HZ, S/N: FA3156028 (CI)   | 35  | AWEA LP4025 4TH AXIS CNC CONTROLLED<br>UNIVERSAL ANGLE HEAD WITH SPEEDS UP<br>TO 2000 RPM, BT50 TAPER SHANK, 1:1 GEAR   |
| 9   | 39.75"X 29.75"X 19.75" T-SLOT BOX TABLE (CI)  | 22   | CHEVALIER (2003) PFG-2040M MANUAL  |     | RATIO S/N: 101911   |
| 10  | MAS VO50 5' WAY TYPE RADIAL ARM DRILLS<br>WITH SPEEDS UP TO 2500 RPM, PRESELECT,<br>COOLANT, 600V/3PH/60HZ, S/N: 3229 (CI)  |  | SURFACE GRINDER WITH 6"X 14" MAGNETIC<br>CHUCK, INCREMENTAL DOWN FEED,<br>600V/3PH/60HZ, S/N: 0311001 (CI)   | 36  | CHIN I ELECTRIC MH-KB 70 KVA<br>TRANSFORMER 600-220V/ 3PH/50/60HZ, S/N<br>N/A   |
| 11  | 39.75"X 29.75"X 19.75" T-SLOT BOX TABLE (CI)  | 23   |  |     | ·   |
| 12  | MAS VO50 5' WAY TYPE RADIAL ARM DRILLS<br>WITH SPEEDS UP TO 2500 RPM, PRESELECT,<br>COOLANT, 600V/3PH/60HZ, S/N: 4002 (CI)  |  | WITH ECLIPSE 6"X 12" MAGNETIC CHUCK,<br>INCREMENTAL DOWN FEED, 600V/3PH/60HZ,<br>S/N: 20400-3 (CI)   | _   |   |
| 13  | 39.75"X 29.75"X 19.75" T-SLOT BOX TABLE (CI)  | 24   | LOT/ GRINDING WHEELS   | _   |   |
| -   |   | 25   | NORTHCOTT-MORRIS MACHINE CO.<br>JN1500C4 DUST COLLECTOR, S/N: 510 (CI)   |     |   |
|     |   | 26   | LOT/ SIGN PLATES AND RADIUS DRESSERS   |     |   |

| Lot | Description  |   | .ot                                   | Description   | Lot                              | Description                               |
|-----|--|---|---------------------------------------|---|----------------------------------|---|
| 37  | AWEA (2015) SP-3016 CNC BRIDGE TYPE  | 4 |                                       | AWEA (2013) BM-1600 CNC VERTICAL  | 59                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | VERTICAL MACHINING CENTER WITH FANUC   |   |                                       | MACHINING CENTER WITH MITSUBISHI M70  | 60                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | SERIES 311 MODEL B CNC CONTROL, 59"X   |   |                                       | CNC CONTROL, 31.5"X 67" T-SLOT TABLE,   | 61                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | 128" T-SLOT TABLE, TRAVELS; X- 82.67",<br>Y- 62.99", Z- 29.92", 7.87 TO 37.79" DISTANCE  |   |                                       | TRAVELS; X- 62.99", Y- 31.49", Z- 31.49",<br>7.87 TO 39.37" DISTANCE FROM TABLE TO                                    | 62                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | FROM TABLE TO SPINDLE NOSE, 67"  |   |                                       | SPINDLE NOSE, BT50 TAPER SPINDLE, 24  | 63                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | DISTANCE BETWEEN COLUMNS, 38" UNDER<br>THE RAIL, CAT 50 TAPER SPINDLE, 32 ATC,<br>SPEEDS UP TO 6000RPM, COOLANT, CHIP<br>CONVEYOR, 600V/3PH/50-60HZ, S/N: 142493<br>(CI)   |   |                                       | ATC, SPEEDS UP TO 6000RPM, POLAR JET  | 64                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     |  |   |                                       | CNC SOLUTIONS INC. (2013) PJ-30MT HIGH  | 65                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     |  |   |                                       | PRESSURE TEMPERATURE CONTROLLED   | 66                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     |  |   |                                       | COOLANT PUMP, CHIP CONVEYOR,<br>600V/3PH/50-60HZ, S/N: 1600-13028 (CI)  | 67                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
| 38  | CTM CTIT 60 KVA TRANSFORMER,   | 4 |                                       | CTM CTIT 40 KVA TRANSFORMER,  | 68                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
| 00  | 600-220V/3PH/50-60HZ (CI)  |   |                                       | 600-220V/3PH/50-60HZ, S/N: N/A (CI)   | 69                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
| 39  | ELECTROMAGNETIC 19.75" X 39.5"   | 4 |                                       | ALPHA-MAGNETS AMR0406   | 70                               | LOT/ (8) CAT 50 TAPER TOOL HOLDERS        |
|     | MAGNETIC CHUCK 480V. S/N N/A (CI)  |   |                                       | ELECTROMAGNETIC 16" X24" MAGNETIC   | 71                               | SERIES MO OMGBT50 TAPPER SPINDLE          |
| 40  | ELECTROMAGNETIC 19.75" X 39.5"   |   |                                       | CHUCK, S/N 02M03104 (CI)  |                                  | SPEEDER, SPEEDSMUP TO 15,000RPM, S/N:     |
|     | MAGNETIC CHUCK 480V. S/N N/A (CI)  | 4 |                                       | AWEA (2015) AF-1000 CNC VERTICAL  |                                  | N/A                                       |
| 41  | ALPHA-MAGNETIC AC2000SD ELECTRO  |   |                                       | MACHINING CENTER WITH MITSUBISHI M70  | 72                               | <b>BT50 TAPER OFFSET MICROBORING TOOL</b> |
|     | MAGNETIC CHUCK CONTROLLER, 480V, S/N   |   |                                       | CNC CONTROL, 21.75"X 47.25" T-SLOT TABLE,<br>TRAVELS; X- 40.15", Y- 21.65", Z- 25", 3.93" TO                          |                                  | HOLDER                                    |
| 40  | 02M02.01 (CI)  |   |                                       | 28.93" DISTANCE FROM TABLE TO SPINDLE   | 73                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
| 42  | AWEA (2012) SP-2016 CNC BRIDGE TYPE<br>VERTICAL MACHINING CENTER WITH FANUC<br>SERIES 0I-MD CNC CONTROL, 59"X 91"<br>T-SLOT TABLE, TRAVELS; X- 82.67", Y- 62.99",<br>Z- 29.92", 7.87" TO 37.79" DISTANCE FROM<br>TABLE TO SPINDLE NOSE, 67" DISTANCE<br>BETWEEN COLUMNS, 38" UNDER THE RAIL,<br>BT50 TAPER SPINDLE, 32 ATC, SPEEDS UP<br>TO 6000RPM, COOLANT, CHIP CONVEYOR,<br>600V/3PH/50-60HZ, S/N: 122185 (CI) |   |                                       | NOSE, CAT 40 TAPER SPINDLE, 36 ATC,   | 74                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  |   | SPEEDS UP TO 10,000RPM, COOLANT, CHIP | 75  | LOT/ (8) BT50 TAPER TOOL HOLDERS |   |
|     |  |   |                                       | CONVEYOR, 600V/3PH/50-60HZ, S/N: 1000-  | 76                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  | 5 |                                       |   | 77                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  | 5 |                                       | CTM MB-CE-E05 40 KVA TRANSFORMER,<br>600-220V/3PH/50-60HZ, S/N: 8313 (CI)   | 78                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  | 5 |                                       | AWEA (2014) AF-1000 CNC VERTICAL<br>MACHINING CENTER WITH MITSUBISHI M70<br>CNC CONTROL, 21.75"X 47.25" T-SLOT TABLE, | 79                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  |   |                                       |   | 80                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  |   |                                       |   | 81                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
| 43  | YOEN MB-CE-E04 60 KVA TRANSFORMER,   |   |                                       | TRAVELS; X- 40.15", Y- 21.65", Z- 25", 3.93" TO   | 82                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     | 600-220V/3PH/50-60HZ, S/N N/A (CI)   |   |                                       | 28.93" DISTANCE FROM TABLE TO SPINDLE   | 83                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
| 44  | ELECTROMAGNETIC 19.75" X 39.5"   |   |                                       | NOSE, CAT 40 TAPER SPINDLE, 24 ATC,<br>SPEEDS UP TO 10.000RPM, COOLANT, CHIP  | 84                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     | MAGNETIC CHUCK WITH ALPHA-MAGNETS  |   |                                       | CONVEYOR, 600V/3PH/50-60HZ, S/N: 1000-  | 85                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     | AC2000SD 480V, CONTROLLER S/N: 02M01.01  |   | 14068 (CI)                            |   | 86                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
| 45  | (CI)<br>JVC DH1-25C-11 30 KVA TRANSFORMER,   | 5 |                                       | CTM CTAT 40 KVA TRANSFORMER   | 87                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
| 40  | 600-480V/3PH/60HZ, S/N 31034-30 (CI)   |   |                                       | 600-220V/3PH/50-60HZ, S/N: 4337 (CI)  | 88                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  | 5 | 53                                    | 20" X 40" DRILLED ANGLE PLATE (CI)  | 89                               | LOT/ (8) BT50 TAPER TOOL HOLDERS          |
|     |  | 5 | 54                                    | LOT/ (2) 30" X 30" DRILLED FIXTURE PLATES   | 90                               | LOT/ (8) 50 TAPER TOOL HOLDERS            |
|     |  | 5 | 55                                    | LOT/ (2) DRILLED AND TAPPED PARALLELS   | 91                               | LOT/ (11) 50 TAPER TOOL HOLDERS           |
|     |  |   |                                       | LOT/ (2) 13.5" X 9.5" DRILLED AND TAPPED  | 92                               | LOT/ (6) CAT40 TAPER TOOL HOLDERS         |
|     |  |   |                                       | TOMBSTONE FIXTURE BLOCKS (CI)   | 93                               | LOT/ (6) CAT40 TAPER TOOL HOLDERS         |
|     |  | 5 |                                       | LOT/ (3) 95" X 10"X 6" DRILLED AND TAPPED   | 94                               | LOT/ (6) CAT40 TAPER TOOL HOLDERS         |
|     |  | - |                                       |   | 95                               | LOT/ (6) CAT40 TAPER TOOL HOLDERS         |
|     |  | 5 | 58                                    | LOT/ (8) CAT 50 TAPER TOOL HOLDERS  |                                  |   |

| Lot       | Description                       | Lot | Description  | Lot     | Description  |
|-----------|-----------------------------------|-----|--|---------|--|
| 96        | LOT/ (6) CAT40 TAPER TOOL HOLDERS |     | LOT/ TOOL SLEEVES  | <br>161 | .05 TO 4 BLOCK GAUGE SET   |
| 97        | LOT/ (6) CAT40 TAPER TOOL HOLDERS |     | LOT/ TAPPER SHANK DRILLS   | <br>162 | BLOCK GAUGE SET  |
| 98        | LOT/ (6) CAT40 TAPER TOOL HOLDERS |     | LOT/ DRILLS  | <br>163 | 1" TO 7" OUTSIDE MICROMETER SET  |
| 99        | LOT/ (6) CAT40 TAPER TOOL HOLDERS | 138 | LOT/ DRILLS  | 164     | LOT/ BORE GAUGE SETS   |
| 100       | LOT/ (6) CAT40 TAPER TOOL HOLDERS | 139 | LOT/ TIE DOWN CLAMPING   | 165     | LOT/ (3) MITUTOYO DIGITAL INDICATORS   |
| 101       | LOT/ (6) CAT40 TAPER TOOL HOLDERS | 140 | LOT/ (2) 12" X12" DRILLED AND TAPPED   | 166     | LOT/ (2) FH UNIVERSAL 3D-SENSOR  |
| 102       | LOT/ (6) CAT40 TAPER TOOL HOLDERS |     | ANGLE PLATES   |         | INDICATORS   |
| 103       | LOT/ (6) CAT40 TAPER TOOL HOLDERS | 141 | LOT/ (2) 8" X10", (1) 5.5" X 8.75" DRILLED AND                               | 167     | STM 24" VERNIER CALIPER  |
| 104       | 8" MACHINE VISE                   |     | TAPPED ANGLE PLATES  | <br>168 | LOT/ VERNIER CALIPERS  |
| 105       | 8" MACHINE VISE                   |     | LOT/ V-BLOCKS  | <br>169 | 0-1" OUTSIDE MICROMETER  |
| 106       | 8" MACHINE VISE                   |     | LOT/ PARALLELS AND SET-UP BLOCKS   | <br>170 | LOT/ GO-NO-GO GAUGES   |
| 107       | 7" MACHINE VISE                   | 144 | LOT/ SET-UP BLOCKS   | <br>171 | LOT/ INSPECTION TOOLS BLOCKS AND   |
| 108       | 7" MACHINE VISE                   | 145 | LOT/ SET-UP BLOCKS   |         | PROTRACTOR   |
| 109       | 7" MACHINE VISE                   | 146 | LOT/ SET-UP BLOCKS   | <br>172 | ERFURT 1000 TON CAPACITY 4-POINT   |
| 110       | 7" MACHINE VISE                   |     | LOT/ SET-UP BLOCKS   |         | STRAIGHT SIDE STAMPING PRESS WITH<br>COMMAND STAMP (RETROFIT 2002) PLC               |
| 111       | 6" MACHINE VISE                   |     | LOT/ SET-UP BLOCKS   |         | PRESS CONTROLS, 98"X 157" FRONT TO   |
| 112       | 6" MACHINE VISE                   | 149 | LOT/ SET-UP BLOCKS   |         | BACK ROLL IN BOLSTER, 98"X 156" RAM,   |
| 113       | 6" MACHINE VISE                   | 150 | LOT/ SET-UP BLOCKS   |         | 20" STROKE, 19.75" SLIDE ADJUSTMENT,   |
| 114       | 6" MACHINE VISE                   |     | LOT/ SET-UP BLOCKS   |         | 19" RISER, 52" MAX SHUT HEIGHT<br>WITHOUT RISER, 62"X45" SIDE WINDOWS,               |
| 115       | 6" MACHINE VISE                   | 152 | LOT/ SET-UP BLOCKS   |         | SAFETY LIGHT CURTAINS, AIR CLUTCH,   |
| 116       | 8" DRILL VISE                     | 153 | BROWN & SHARPE XCEL VALIDATOR 9.15.9D  |         | 600V/3PH/60HZ, S/N: N/A (CI)   |
| 117       | LOT/ DRILL CHUCKS                 |     | CNC BRIDGE TYPE CMM WITH WINDOWS PC<br>BASED PC DMIS VER 2018 R1 CONTROL AND | 173     | XACT PATTERN 80"X 150"X 19" RISER  |
| 118       | LOT/ R8 COLLETS                   |     | DATA ACQUISITION UNIT, 51"X 86.5" GRANITE                                    |         | BOLSTER PLATE (CI)   |
| 119       | LOT/ CARBIDE ENDMILLS             |     | TABLE, 35.43"X59.05"X35.43" MEASURING  | 174     | BWM (2005) F48-500-06/2005 SERVO FEEDER  |
| 120       | LOT/ COOLANT THROUGH DRILLS       |     | ENVELOPE, RENISHAW PH10MQ TOUCH  |         | WITH REXROTH INDRAMAT PLC CONTROL,<br>48"X 1/4" CAPACITY, 600V/3PH/60HZ, S/N:        |
| 121       | LOT/ REAMERS                      |     | PROBE, JOYSTICK OPERATOR CONTROL, PC<br>AND PRINTER S/N: 0697/2435 (CI)      |         | 19582 (CI)   |
| 122       | LOT/ ENDMILLS AND CUTTERS         | 154 | HEXAGON METROLOGY (2017) ROMER   | <br>175 | MARCUS TRANSFORMER,  |
| 123       | LOT/ BORING BARS                  | 104 | ABSOLUTE ARM RA-7335SEI-4 PORTABLE   |         | 277-480-600V/3PH/60HZ, S/N: 2072-505 (CI)  |
| 124       | LOT/ TAPS                         |     | ARM CMM WITH WINDOWS PC BASED  | 176     | BWM (2005) C48-20-72-06/2005 COMBINATION   |
| 125       | LOT/ BORING BARS                  |     | POLYWORKS CONTROL AND DATA   |         | COIL CRADLE/STRAIGHTENER WITH 48"X   |
| 126       | LOT/ FACEMILLS                    |     | ACQUISITION UNIT, HANDHELD LASER<br>SCANNING PROBE WITH HEXAGON 7335SEI-     |         | 1/4" CAPACITY, MAX 72" DIA X 20,000 LBS.<br>COIL CAPACITY, 600V/3PH/60HZ, S/N: 21816 |
| 127       | LOT/ CARBIDE INSERTS              |     | 6880UC TOUCH PROBE AND LAPTOP, S/N:  |         | (CI)   |
| 128       | LOT/ CARBIDE INSERTS              |     | 7335SEI-6880   | 177     |  |
| 129       | LOT/ CARBIDE INSERTS              | 155 | 36" X 24" X 4" GRANITE SURFACE PLATE   |         | CAPACITY 4-POINT STRAIGHT SIDE<br>STAMPING PRESS WITH COMMAND STAMP                  |
| 130       | LOT/ CARBIDE INSERTS              | 156 | MITUTOYO ABSOLUTE 24" DIGITAL HEIGHT   |         |  |
| 131       | LOT/ SPRING COLLETS               |     | GAUGE  |         | (RETROFIT) PLC PRESS CONTROLS, 59.75"X   |
| 132       | LOT/ SPRING COLLETS               |     | INSIZE 24" DIGITAL HEIGHT GAUGE  |         | 108" BOLSTER, 59.75"X 108" RAM, 19.84"<br>STROKE, 29.21" SHUT HEIGHT, 15.98" SLIDE   |
| 133       | LOT/ SPRING COLLETS               |     | AEROSPACE 24" HEIGHT GAUGE   |         | ADJUSTMENT, 30"X31" SIDE WINDOW,   |
| 134       | LOT/ COUNTER SINK REAMERS         |     | 0.251 TO 0.500 PIN GAUGE SET   |         | SAFETY LIGHT CURTAINS, AIR CLUTCH,   |
| · · · · · |                                   | 160 | 0.061 TO 0.250 PIN GAUGE SET   |         | 600V/3PH/60HZ, S/N: 1 (CI)   |

BMD TOOL & MACHINE CO LTD.

| Lot  | Description   | Lot | Description   | Lot        | Description  |
|------|---|-----|---|------------|--|
| 178  | SILENT HOIST FKS 13 LPG FORKLIFT WITH<br>26,000LBS. CAPACITY, 135" MAX VERTICAL<br>LIFT, SINGLE STAGE MAST, HYDRAULIC<br>FORK ADJUSTMENT, 7640HRS. RECORDED<br>ON METER AT TIME OF LISTING, S/N: 19439B | 184 | CANADIAN CRANE 10 TON SINGLE GIRDER<br>TOP RUNNING BRIDGE CRANE WITH<br>CANADIAN CRANE 10 ELECTRIC HOIST,<br>37' 7" SPAN, 19' UNDER HOOK, PENDENT<br>CONTROL, S/N: 18752 (CI) | 202        | 6',9" 4 POINT LIFTING CHAIN 3/8" DIA.,<br>18,400LBS CAPACITY, S/N: N/A |
|      |   |     |   | 203        | LOT/ LIFTING CHAIN   |
|      |   |     |   | 204        | LOT/ LIFTING STRAPS  |
| 179  | NISSAN CRGH02F35V LPG FORKLIFT WITH<br>7200LBS. CAPACITY, 175" MAX VERTICAL<br>LIFT, 3 STAGE MAST, SIDE SHIFT, CUSHION<br>TIRES, 4923HRS. RECORDED ON METER AT  | 185 | LOT/ APPROX 64' FREE STANDING CRANE   | 205<br>206 | LOT/ (2) HEAVY DUTY SWIVEL HOIST RINGS                                 |
| 175  |   |     | RUNWAY AND BUSBAR S/N: N/A (CI)   |            | LOT/ (3) 30MM HEAVY DUTY SWIVEL HOIST<br>RINGS                         |
|      |   | 186 | STAHL 5 TON ELECTRIC HOIST WITH<br>PENDENT CONTROL S/N: N/A (CI)  | 207        | LOT/ (4) HEAVY DUTY SWIVEL HOIST RINGS                                 |
| 179A | TIME OF LISTING, S/N: CRGH02-001105<br>ISUZU (2019) NRR BOX TRUCK WITH  | 187 | MAN GHH 5 TON ELECTRIC HOIST WITH<br>PENDENT CONTROL, S/N: N/A (CI)   | 208        | LOT/ (16) 1" HEAVY DUTY SWIVEL HOIST<br>RINGS                          |
|      | ISUZU 5.4 LÍTER DIESEL ENGINE, AUTO,<br>RWD, DUALLY, 16' BOX, 19,500 LB GVWR,<br>POWER TAILGATE, 82,953 KM (RECORDED<br>ON METER AT TIME OF LISTING), VIN:  | 188 | SEW 3.5 TON ELECTRIC HOIST WITH<br>PENDENT CONTROL, S/N: N/A (CI)   | 209        | LOT/ (16) 20MM HEAVY DUTY SWIVEL HOIST<br>RINGS                        |
|      |   | 189 | LOT/ APPROX 82' MONORAIL BEAMS WITH<br>BUSBAR S/N: N/A (CI)   | 210        | LOT/ (5) 20MM HEAVY DUTY LONG BOLT<br>SWIVEL HOIST RINGS               |
|      | JALE5W16XK7301218 (Located at 380 Dewitt<br>Rd, Stoney Creek, ON L8E 2T2)   | 190 | APPROX 82' MONORAIL BEAMS WITH  | 211        | LOT/ EYE BOLTS   |
| 1700 | FORD (2020) TRANSIT CONNECT VAN   |     | BUSBAR S/N: N/A (CI)  | 212        | STM 12" ROTARY TABLE   |
| 130  | WITH 2.0 LITER 4 CYLINDER GAS ENGINE,   | 191 | ATLAS COPCO (2012) GA22 30HP ROTARY   | 213        | 7" MACHINE VISE  |
|      | AUTOMATIC TRANSMISSION, FWD,  |     | SCREW TANK MOUNTED COMPRESSOR   | 214        | 5.75" MACHINE VISE   |
|      | KEYLESS ENTRY, POWER WIN/LOCK/<br>MIRR, BLUETOOTH, 87,000KM (RECORDED<br>ON METER AT TIME OF LISTING) VIN:<br>NM0LS7W20L1474258 (Located at 380 Dewitt<br>Rd, Stoney Creek, ON L8E 2T2)                 |     | WITH 58520 RUNNING HOURS, 28964<br>LOADED HOURS, 3540RPM, 575V/3PH/60HZ,  | 215        | LOT/ TOOL HOLDER CABINET WITH<br>CONTENTS (SURPLUS METAL)              |
|      |   | 192 | S/N: AP1464580 (CI)<br>PURESTREAM HT DRYERS AHT75U AIR  | 216        | 50 TAPER TOOL HOLDER CART (NO TOOL                                     |
|      |   | 152 | DRYER, S/N: 110008297 (CI)  |            | HOLDERS DELAY DELIVERY)  |
| 180  | CANADIAN CRANE 12.5 TON DOUBLE<br>GIRDER TOP RUNNING BRIDGE CRANE<br>WITH (1) CANADIAN CRANE 12.5 TON MAIN<br>ELECTRIC HOIST, (1) CANADIAN CRANE  | 193 | ATLAS COPCO (2013) GA15VSD 20HP<br>ROTARY SCREW TANK MOUNTED  | 217        | 50 TAPER TOOL HOLDER CART (NO TOOL<br>HOLDERS DELAY DELIVERY)          |
|      |   |     | COMPRESSOR WITH 26793 RUNNING<br>HOURS, S/N: CAI715852 (CI)   | 218        | 50 TAPER TOOL HOLDER CART (NO TOOL<br>HOLDERS DELAY DELIVERY)          |
|      | 5 TON AUX ELECTRIC HOIST , APPROX.  | 194 | PURESTREAM HT DRYERS AHT75U AIR   | 219        | 40 TAPER TOOL HOLDER CART  |
|      | 38' SPAN, 19' 8" UNDER HOOK, PENDENT  |     | DRYER, S/N: 130005661 (CI)  | 220        | 40 TAPER TOOL HOLDER CART  |
|      | CONTROL, S/N: 20710 (CI)  | 195 | 14',1" 2 POINT LIFTING CHAIN WITH CHOKER  | 221        | 40 TAPER TOOL HOLDER CART  |
| 181  | CANADIAN CRANE 10 TON SINGLE GIRDER<br>TOP RUNNING BRIDGE CRANE WITH SWF 10<br>TON ELECTRIC HOIST, APPROX. 38' SPAN,<br>20' UNDER HOOK, PENDENT CONTROL, S/N:   | 196 | 5/8" DIA., 31,400LBS CAPACITY, S/N: N/A<br>14',1" 2 POINT LIFTING CHAIN WITH CHOKER   | 222        | 40 TAPER TOOL HOLDER CART (NO TOOL<br>HOLDERS DELAY DELIVERY)          |
|      |   |     | 5/8" DIA., 31,400LBS CAPACITY, S/N: N/A<br>12',4" 4 POINT LIFTING CHAIN WITH CHOKER   | 223        | LOT/ (4) FPT FAST MILL CLAMPING FIXTURE<br>BASES WITH LOCKING STUDS    |
| 400  | 4375/1 (CI)   |     | 1/2" DIA., 31,200LBS CAPACITY, S/N: N/A   | 224        | PARKER ENERPAC BENCH TYPE HYDRAULIC                                    |
| 182  | CANADIAN CRANE 10 TON SINGLE GIRDER<br>TOP RUNNING BRIDGE CRANE WITH SWF 10<br>TON ELECTRIC HOIST, APPROX. 38' SPAN,  | 198 | 10',2" 4 POINT LIFTING CHAIN WITH CHOKER  |            | HOSE CRIMPER, S/N: 82C-1217-L-017                                      |
|      |   |     | 1/2" DIA., 31,200LBS CAPACITY, S/N: N/A   | 225        | MILWAUKEE HEAVY DUTY MAG BASE DRILL,                                   |
|      | 20' UNDER HOOK, PENDENT CONTROL, S/N:   | 199 | 10',1" 4 POINT LIFTING CHAIN WITH CHOKER<br>1/2" DIA., 31,200LBS CAPACITY, S/N: N/A   | 000        | S/N: N/A<br>LOT/ HYDRAULIC BOTTLE AND FLOOR JACKS                      |
| 183  | 4375/2 (CI)<br>LOT/ APPROX 160' CRANE RUNWAY AND  | 200 | 9.5" 4 POINT LIFTING CHAIN WITH CHOKER  | 226        |  |
| 103  | BUSBAR S/N: N/A (CI)  |     | 1/2" DIA., 31,200LBS CAPACITY, S/N: N/A   | 227        | LOT/ HAND TOOLS  |
|      |   | 201 | 8' 4 POINT LIFTING CHAIN WITH CHOKER 3/8"   | 228        |  |
|      |   |     | DIA., 18,400LBS CAPACITY, S/N: N/A  | 229        | TORIN TOOL BOX   |
|      |   | L   | , ,   | 230        | LOT/ CLAMPS  |

| Lot | Description  | Lot        | Description  | Lo  | t Description  |
|-----|--|------------|--|-----|--|
| 231 | LOT/ (2) ELECTRIC DRILLS   | 259        | LOT/ 2 DOOR HY-BOY CABINET WITH                                    | 28  | 7 2 DOOR HY-BOY CABINET  |
| 232 | LOT/ RIDGID CORDLESS TOOLS   |            | CONTENTS CONSISTING OF HARDWARE                                    | 28  | B LOT/ (6) HEAVY DUTY SHOP TABLES                              |
| 233 | LOT/ (2) ELECTRIC ANGLE GRINDERS   | 260        | LOT/ HARDWARE  | 28  |  |
| 234 | LOT/ (2) ELECTRIC ANGLE GRINDERS   | 261        | LOT/ (2) HEAVY DUTY SHOP TABLES (DELAY                             | 29  | LOT/ HEAVY DUTY STORAGE RACK WITH                              |
| 235 | BLACK AND DECKER CORDLESS EDGE   | 000        |  |     | CONTENTS (CI)  |
| 000 |  | 262        | LOT/ (4) HEAVY DUTY SHOP TABLES (DELAY DELIVERY)                   | 29  | 1 LOT/ ROLLING SHOP CART TROUGH OUT<br>PLANT                   |
| 236 | FORD SMITH 41-P HEAVY DUTY DOUBLE END<br>PEDESTAL GRINDER WITH 2HP MOTOR, 1740 | 263        | LOT/ (3) HEAVY DUTY SHOP TABLES                                    | 292 |  |
|     | RPM, 550V/3PH/60HZ, S/N: G-050 (CI)  | 264        | LOT/ (2) HEAVY DUTY SHOP TABLES                                    |     | TABLE WITH MANUAL HAND SHEAR AND                               |
| 237 | CENTRAL MACHINERY DOUBLE END   | 265        | TORIN TOOL BOX   |     | PUNCH SET (CI)   |
|     | PEDESTAL GRINDER WITH 3/4HP, 8" WHEEL,   | 266        | TORIN TOOL BOX   | 293 | 3 LOT/ (2) HEAVY DUTY SHOP TABLES                              |
|     | 3400RPM, 110V/1PH/60HZ, S/N N/A  | 267        | LOT/ (5) 50 TAPER TOOL HOLDER STORAGE                              | 294 |  |
| 238 | MFG UNKNOWN DOUBLE END GRINDER S/N:  |            | STANDS   | 29  | 5 LOT/ (2) HAND CARTS  |
| 220 | N/A<br>LOT/ (4) HEAVY DUTY METAL SAW HORSES                                    | 268        | LOT/ (2) HEAVY DUTY SHOP TABLES WITH 50                            | 29  | 6 LOT/ 2 DOOR HY-BOY CABINET WITH PAINT                        |
| 239 |  |            | TAPER TOOL VISES   | 29  |  |
| 240 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 269        | RADIUS WHEEL DRESSER   |     | METALS   |
| 241 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 270        | LOT/ ANGLE PLATES AND SET UP BLOCKS                                | 298 |  |
|     | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 271        | MANUAL GRINDING FIXTURE  | 299 |  |
| 243 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 272        | 36" X 76" X 1.5" SOLID STEEL TOP SHOP                              | 200 |  |
| 244 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 070        |  | 30  |  |
| 245 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 273        | HEAVY DUTY SHOP TABLE  | 30  |  |
|     | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 274        | ECLIPSE DEMAGNETISER WITH STAND                                    | 302 |  |
| 247 | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 275        | TORIN TOOL BOX WITH CONTENTS<br>CONSISTING OF TOOLING              | 303 |  |
|     | LOT/ (4) HEAVY DUTY METAL SAW HORSES   | 276        | HEAVY DUTY SHOP TABLE WITH 40 TAPER                                | 304 |  |
| 249 | UNIROPE PERMANENT 4400LBS. CAPACITY<br>MAGNETIC LIFTER S/N: 902023             | 210        | TOOL VISE  | 30  |  |
| 250 | UNIROPE PERMANENT 4400LBS. CAPACITY  | 277        | LOT/ (3) HEAVY DUTY SHOP TABLES (NO                                | 30  |  |
| 200 | MAGNETIC LIFTER S/N: 902026  |            | CONTENTS)  | 30  |  |
| 251 | UNIROPE PERMANENT 1320LBS. CAPACITY  | 278        | LOT/ (3) HEAVY DUTY SHOP TABLES (DELAY DELIVERY)                   | 308 | 8 LOT/ RETRACTABLE PNEUMATIC HOSE AND<br>ELECTRICAL CORD REELS |
| 050 | MAGNETIC LIFTER, S/N: N/A  | 279        | LOT/ PUNCHES WITH HARDWARE   | 309 | 9 RETRACTABLE PNEUMATIC HOSE REEL                              |
| 252 | UNIROPE PERMANENT 1320LBS. CAPACITY<br>MAGNETIC LIFTER, S/N: N/A               | 280        | LOT/ PULL STUDS  | 310 | D LOT/ RETRACTABLE PNEUMATIC HOSE AND<br>ELECTRICAL CORD REELS |
| 253 | UNIROPE PERMANENT 1320LBS. CAPACITY  | 281        | LOT/ TAPS, TREADING DIES AND METER                                 | 31  |  |
|     | MAGNETIC LIFTER, S/N: N/A  | 282        | LOT/ CART WITH TOOL BOXES, 6" BENCH                                | 312 |  |
| 254 | UNIROPE PERMANENT 1320LBS. CAPACITY<br>MAGNETIC LIFTER, S/N: N/A               |            | VISE AND CONTENTS CONSISTING OF<br>FITTINGS ELECTRICAL FUSES, PIPE | 313 |  |
| 255 | UNIROPE PERMANENT 1320LBS. CAPACITY  | 000        | FITTINGS, HOSE AND CONNECTORS                                      | 314 |  |
| 256 | MAGNETIC LIFTER, S/N: N/A<br>LOT/ PARTS BINS WITH HARDWARE                     | 283<br>284 | HEAVY DUTY SHOP TABLE<br>LOT/ (2) HEAVY DUTY SHOP TABLES (1) 6"    |     | ELECTRICAL CORD REEL AND LIGHT REEL                            |
| 250 | LOT/ PARTS BINS WITH HARDWARE  | 204        | BENCH VISE   | 31  | 5 RETRACTABLE PNEUMATIC HOSE REEL                              |
| 258 | LOT/ 2 DOOR HY-BOY CABINET WITH  | 285        | LOT/ ELECTRIC MOTORS   | 310 |  |
|     | CONTENTS CONSISTING OF HARDWARE  | 286        | HEAVY DUTY SHOP TABLE  |     |  |
|     | · · · · · · · · · · · · · · · · · · ·  |            | I  | 31  | 7 ROUSSEAU 4 DRAWER WORK BENCH                                 |

| Lot | Description   | Lot | Description   | Lot | Description                           |
|-----|---|-----|---|-----|---------------------------------------|
| 318 | 4 TIER ADJUSTABLE METAL SHELF                                     | 347 | LOT/ THINKSTATION COMPUTER SYSTEM                                 | 379 | LOT/ DRILLED AND TAPPED PRECISION     |
| 319 | LOT/ CONTENTS OF LUNCH ROOM                                       |     | WITH CPU, MONITOR, KEY BOARD AND                                  |     | ANGLE AND FIXTURE PLATES              |
|     | CONSISTING OF FRIDGE, MICROWAVES,                                 |     | MOUSE   | 380 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
|     | TABLE AND CHAIRS (NO CABINETS)                                    | 348 | LOT/ HP COMPUTER SYSTEM WITH CPU,<br>MONITOR, KEY BOARD AND MOUSE | 381 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 320 | LOT/ (2) BOSCH 4.5" ANGLE ELECTRIC<br>GRINDERS (NEW IN BOX)       | 349 | LOT/ HP COMPUTER SYSTEM WITH CPU,                                 | 382 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 324 | LOT/ CONTENTS OF SHELF CONSISTING OF                              |     | MONITOR, KEY BOARD AND MOUSE                                      | 383 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 524 | PART BINS WITH HARDWARE AND HOSE                                  | 350 | LOT/ DESK AND CHAIR   | 384 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 325 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 351 | LOT/ DESK, HUTCH AND CHAIR  | 385 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
|     | O-RINGS AND HARDWARE  | 352 | LOT/ (2) DESKS CHAIRS AND FILE CABINET                            | 386 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 326 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 353 | LOT/ (2) COMPUTER DESK RISERS                                     | 387 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
|     | CAMS, WEAR PLATES AND GAUGING PARTS                               |     | HP DESIGNJET Z9 POSTSCRIPT PRINTER                                | 388 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 328 | LOT/ CONTENTS OF SHELF CONSISTING OF                              |     | PLOTTER, S/N CN0C1DK009   | 389 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 000 | FILTERS, ROLLERS AND PARTS  | 355 | LOT/ HP COMPUTER SYSTEM WITH CPU, (2)                             | 390 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 329 | LOT/ BUSHINGS   | _   | MONITORS, KEYBOARD AND MOUSE                                      | 391 | LOT/ (6) CAT40 TAPER TOOL HOLDERS     |
| 330 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 356 | LOT/ L-SHAPE DESK AND CHAIR                                       | 392 | LOT/ (5) CAT40 TAPER TOOL HOLDERS     |
| 224 | SAFETY GLASSES AND ELECTRICAL CABLES                              | 357 | LOT/ L-SHAPE DESK AND CHAIR                                       | 393 | 8" MACHINE VISE                       |
| 331 | LOT/ CONTENTS OF SHELF CONSISTING OF<br>PNEUMATIC CYLINDERS       | 358 | LOT/ (2) CPU'S  | 394 | LOT/ ANGLE BLOCKS AND FIXTURES PLATES |
| 332 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 359 | LOT/ (3) APC BATTERY BACK-UP UNITS                                | 395 | LOT/ STANDARD LIFTER INC GO/NO GO     |
| 002 | GLOVES AND FILTER MASKS   | 360 | HP LASERJET PRO MFP-M127fn PRINTER                                |     | BORE GAUGES                           |
| 333 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 361 | LOT/ ASSORTED HP LASERJET TONER                                   | 396 | LOT/ (6) SMC CG1BN25-150-CCL00757 145 |
|     | SHIM STOCK AND ABRASIVE WHEELS                                    | 362 | HP LASERJET PRO 500 COLOR MFP                                     |     | MAX PSI PNEUMATIC CYLINDERS, S/N N/A  |
| 334 | LOT/ NITROGEN GAS SPRINGS   |     | M570dn PRINTER/COPY/FAX/SCANNER, S/N                              |     |                                       |
| 335 | LOT/ CONTENTS OF SHELF CONSISTING OF                              | 262 | CNCKLDM6HR<br>LOT/ OFFICE SUPPLIES                                |     |                                       |
|     | STANDARD LIFTER PINS  | 363 |   |     |                                       |
| 336 | LOT/ NITROGEN GAS SPRINGS   | 364 | LOT/ RECEPTION DESK WITH CHAIRS AND CABINETS                      |     |                                       |
| 337 | LOT/ (4) SECTIONS OF SHELVING                                     | 367 | HP LASERJET PRO MFP M225dw PRINTER                                |     |                                       |
| 338 | 36.25" X 24" X 4" GRANITE SURFACE PLATE                           | 369 | LOT/ (4) FILE CABINETS  |     |                                       |
| 220 |   | 370 | LOT/ LOBBY FURNITURE  |     |                                       |
| 339 | LOT/ HP COMPUTER SYSTEM WITH CPU,<br>MONITOR, KEYBOARD AND MOUSE  | 371 | LOT/ EPSON 3LCD POWERLITE 93+                                     |     |                                       |
| 340 | LOT/ U-SHAPE DESK AND CHAIR                                       |     | PROJECTOR WITH REMOTE, CABLES AND                                 |     |                                       |
| 341 | LOT/ HP COMPUTER SYSTEM WITH CPU,                                 | 1   | PULL DOWN SCREEN  |     |                                       |
|     | MONITOR KEYBOARD AND MOUSE  | 372 | LOT/ BOARDROOM TABLE WITH (7) CHAIRS                              |     |                                       |
| 342 | LOT/ DESK AND CHAIR   | 373 | LOT/ EXECUTIVE DESK, CHAIRS AND                                   |     |                                       |
| 343 | LOT/ HP COMPUTER SYSTEM WITH CPU,                                 |     |   |     |                                       |
|     | MONITOR, KEY BOARD AND MOUSE                                      | 374 | LOT/ GOLF PRINTS AND PICTURES                                     |     |                                       |
| 344 | LOT/ DESK AND CHAIR   | 375 | LOT/ SIGNED AND NUMBERED FRAMED ART                               |     |                                       |
| 345 | LOT/ HP COMPUTER SYSTEM WITH CPU,                                 | 376 | 14" X 23.5" MAGNETIC CHUCK  |     |                                       |
|     | MONITOR, KEY BOARD AND MOUSE                                      | 377 | LOT/ (3) ROLLING CHIP BINS  |     |                                       |
| 346 | LOT/ HP COMPUTER SYSTEM WITH CPU,<br>MONITOR, KEY BOARD AND MOUSE | 378 | LOT/ METAL FRAME DIVIDERS   |     |                                       |