

## **WELCOME TO THE AUCTION SALE OF:**



**SURPLUS ASSETS OF** 

# **GP CUSTOM METALS**

THURSDAY, JANUARY 16 • 10:30 AM EST

9 KENVIEW BLVD., BRAMPTON, ONTARIO, CANADA, L6T 5G5

WE ACCEPT:







Visit www.corpassets.com for specific terms and conditions.

**AUCTION CONDUCTED BY:** 

# CORPORATE ASSETS INC

"Let Our Experience Be Your #1 Asset"™

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8
Tel: 416.962.9600 • Fax: 416.962.9601
www.corpassets.com • info@corpassets.com

#### **TERMS & CONDITIONS FOR THIS SALE**

- Final payment in full immediately after the auction
- A buyer's premium of 19.0% For all webcast (remote) bidders will apply at this sale
- No payments will be accepted by our site supervisor
- This sale will be conducted in USD.

#### **REMOVAL DETAILS:**

- All assets must be removed no later than Friday, January 31 BY APPOINTMENT ONLY. Please email info@ corpassets.com to arrange.
- No items may be removed while the auction is in progress.
- All buyers must comply with all posted terms and conditions of sale.

# NO EXCEPTIONS!

\*S'IL VOUS PLAÎT VÉRIFIER LES POINTS AVANT L'OFFRE ET LIRE ATTENTIVEMENT LES TERMES ET CONDITIONS DE CETTE VENTE. For a copy of the terms & conditions of this sale in French, please ask the staff and they will provide.



### TERMS AND CONDITIONS OF SALE

Subject to amendments and modifications announced by the Auctioneer at the time of the auction, all persons participating in the auction shall be bound by the following terms and conditions and as stated or otherwise set forth in the brochure and/or on the Auctioneer's website www.corpassets.com.

- 1. In order to register and participate as a bidder, Bidders are required to provide a minimum 25% deposit to establish their requested credit limit together with identification of either a valid Driver's License or Passport.
- 2. The Auctioneer reserves the right to refuse any applicant the privilege of bidding or attending the auction and may revoke such privilege at any time.
- 3. Payment in full must be made immediately after the conclusion of the auction. Deposit payments or payments on account may be made in advance of the auction by way of bank wire transfer and any balance in excess of the balance owing will be refunded to the Bidder or Purchaser (as the case may be) after the auction. For International (Non-Canadian and U.S. Residents) Purchasers. Webcast Remote Purchasers & Online Purchasers, payments shall be by way of bank wire transfer. For Canadian and U.S. On-site Purchasers, all payments shall be by way of wire transfer, certified cheque, bank draft, Interac, cash or company cheque accompanied with a valid bank letter of authorization guaranteeing irrevocable payment to Corporate Assets Inc. in the following format: "Name of Bank hereby quarantees irrevocable payment of cheques payable to Corporate Assets Inc. up to Amount in Words & Currency for purchases 12. No Purchasers may assign, transfer or dispose of their rights in any article made by our client Name of Client. This letter is valid for purchases made at the auction of Name of Auction being held in City. State/Province on Date."
- 4. Payments by way of Visa or Mastercard will be accepted for purchases from Purchasers whose total invoice does not exceed \$2,500. An Administration Fee 13. Where available, documents of transfer, including motor vehicle ownership may apply subject to the Auctioneer's discretion.
- 5. A Buyer's Premium as posted on our website or announced, will apply at this
- 6. All applicable sales taxes arising on a sale shall be paid to the Auctioneer at the time of sale
- 7. All Articles will be sold to the highest bidder conforming to the bid process, provided that the Auctioneer reserves the right to sell articles by individual, grouped lots and "in bulk", as the Auctioneer deems appropriate. The Auctioneer reserves the right to sell on behalf of third parties, on its own account or on the account of others. Should any dispute arise between two or more bidders or as to any bid, the lot in question may, at the Auctioneer's discretion, be immediately put up again and resold. The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decision shall be final and binding on all bidders. The records kept by the clerk of the sale, shall in all cases be accepted by the bidder as final.
- 8. The Auctioneer reserves the right to sell subject to reserve and to bid for its own account and for the account of others, whether by verbal or written proxy, and may sell or remove articles without notice before the auction and shall have no further liability to any person whosoever, including without limitation, any damages for loss of profits.
- 9. All sales shall be concluded as indicated by the Auctioneer and no Bidder/ Purchaser may thereafter revoke their bid. Title to the articles purchased shall not pass until payment in full of the purchase price is received.
- 10. ALL SALES ARE FINAL. ON AN "AS IS WHERE IS". "IN PLACE" "WITH ALL FAULTS" BASIS WITH NO CONDITIONS OR WARRANTIES WHETHER EXPRESSED IMPLIED STATUTORY OR OTHERWISE INCLUDING WITHOUT LIMITATION. WARRANTIES OR CONDITIONS AS TO TITLE. DESCRIPTION. FITNESS FOR PURPOSE. QUANTITY. QUALITY. MERCHANTABILITY, STATE, CONDITION, LOCATION OR OTHERWISE, NO SALE SHALL BE INVALIDATED AND THE AUCTIONEER SHALL HAVE NO

- LIABILITY FOR A MISDESCRIPTION OF ANY ARTICLE OR LOT WHETHER CONTAINED IN A CATALOGUE ADVERTISEMENT ORAL ANNOUNCEMENT OR OTHERWISE DESCRIPTIONS HAVE BEEN PREPARED FOR GUIDE PURPOSES ONLY AND SHALL NOT BE RELIED UPON BY THE PURCHASER FOR ACCURACY OR COMPLETENESS. PLEASE INSPECT ALL ITEMS BEFORE BIDDING. PURCHASERS SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON THEIR OWN INSPECTIONS AND INVESTIGATIONS.
- . No article shall be removed unless paid for in full and all articles purchased shall be removed within the guidelines and terms stipulated. The Purchaser shall be responsible for all costs of removal and shall be liable for any damages. including without limitation, any environmental damage, caused during or as a result of the removal. Purchasers shall comply with all environmental laws and regulations and all requirements established by the Auctioneer for the removal of articles, including providing proper insurance and which Riggers may operate on site: please refer to the "REMOVAL REQUIREMENTS" on the inside back cover.
- purchased before they have paid the purchase price in full. Notwithstanding, these terms and conditions shall continue to be in effect and automatically transferred to any assignee or transferee.
- documents, which are in possession of the Auctioneer, will be provided to the Purchaser following the auction or as soon thereafter as such documents become available.
- 14. The Auctioneer assumes no responsibility or any liability once title passes, which occurs at time of payment in full. Purchasers are advised to prearrange for insurance coverage of their purchase(s). Without limiting the generality of the foregoing, the Auctioneer shall not be liable for any insurable risk, including but not limited to fire or theft (an "insurable risk").
- 15. If the Purchaser is unable to retrieve an article sold to the Purchaser due to any default of the Auctioneer other than loss due to an insurable risk, the Auctioneer's liability shall be limited to the reimbursement of the Purchaser for all monies paid to the Auctioneer by the Purchaser in respect of an article purchased, and the Auctioneer shall have no further liability to the Purchaser including without limitation, any damages for loss of profits.
- 16. Time shall be of the essence. Title may revert to seller in the event Purchaser does not remove their purchase by the time specified. If a Purchaser fails to make payment or remove goods within the time periods hereinabove provided. the Auctioneer may resell the article purchased by auction, private contract or otherwise, as the Auctioneer in his discretion deems advisable. If the Auctioneer makes a good faith attempt to resell the article but cannot, he may dispose or scrap the article.
- 17. The Purchaser shall be liable for the shortfall and all costs and expenses incurred in such resale or scrapping, as described in paragraph 16. These costs and expenses include, but are not limited to, attorney fees, court costs. law enforcement costs, moving and storage costs, and any other commissions incurred or fees assessed by the Auctioneer. Attorney fees and costs include, but are not limited to, such fees and costs incurred in the pursuit of a claim. iudgment or a citation against the Purchaser(s) and/or any Guarantor(s).

### REMOVAL REQUIREMENTS

The following are terms & conditions to abide by for all Purchasers, their employees, riggers, machinery movers, contractors and agents; (who will be further referred to as "Purchasers/Movers/ Riggers"), who participate in the disconnection and/or removal of items purchased at auction.

- 1. Purchasers/Movers/Riggers are responsible to remove all articles purchased. "CI" on the purchaser's invoice designates that a proper certificate of insurance is required before any item marked "CI" can be mechanically removed. Furthermore. properly authorized rigger release instructions, in writing, are required by Corporate Assets Inc.'s office before a Purchaser/Mover/Rigger can commence removal of these items. This form can be downloaded from www.corpassets.com.
- 2. PURCHASERS/MOVERS/RIGGERS SHALL BE RESPONSIBLE FOR PROPER DISCONNECTION AND TERMINATION OF ALL ELECTRICAL. WATER AND/OR AIR LINES TO YOUR EQUIPMENT/ARTICLE AS STIPULATED BY CORPORATE ASSETS INC'S ON-SITE REPRESENTATIVE OR AS ANNOUNCED BY THE AUCTIONEER: THE SHEARING OF ANCHOR BOLTS FLUSH WITH THE FLOOR: LEAVING YOUR WORK AREA IN A BROOM SWEPT MANNER. THE ERECTING OF SAFETY BARRIERS ARE REQUIRED WHERE PITS OR HOLES HAVE BEEN CREATED AS A RESULT OF EQUIPMENT/ARTICLE REMOVAL: THE REMOVAL. OFF THE PREMISES. OF ALL HAZARDOUS WASTE OR OIL CONTAMINANTS CONTAINED WITHIN OR ON THE PURCHASED ASSETS AND IN CONJUNCTION WITH ALL ENVIRONMENTAL LAWS: ANY SPECIFIC TERMS OR CONDITIONS INDICATED BY THE AUCTIONEER AT THE TIME OF SALE.
- 3. All GAS line terminations are to be disconnected by a licensed gas fitter and done in accordance with any federal, state/provincial or local codes.
- 4. All ELECTRICAL disconnects at entry point of machine/equipment, are to be done in accordance with any federal, state/provincial or local codes.
- 5. Riggers must quote their customers in writing and shall be liable for all costs in order to comply with the above.
- 6. Purchasers/Movers/Riggers must provide to Corporate Assets Inc., a certificate of insurance, adding Corporate Assets Inc. as an Additional insured, but only with respect to the operations of the Named Insured (i.e., Purchasers/Movers/ Riggers) at the Named Auction and Named Location, of not less than \$2,000,000.00 evidencing statutory workers' compensation (or state/provincial clearance certificate if applicable). employer's liability insurance, automotive and comprehensive liability insurance coverage (bodily injury and property damage) per person and occurrence.
- 7. Where available, bridge cranes and/or other lifting device hoists may only be used by certified crane operators with insurance in place and only with the expressed written permission of the crane owner and/or Corporate Assets Inc. The amount of the Rigger's insurance deductible may be required by Corporate Assets Inc. as a security deposit.
- 8. Corporate Assets Inc.'s on-site representative must examine all articles being loaded out of the premises.
- 9. Purchasers/Movers/Riggers shall be held liable for all costs relating to damages and repairs to personal property and/or premises as a result of their negligence and/or their activities.
- 10. General hours of removal at the premises are Monday to Friday from 8:00 A.M. to 5:00 P.M., unless otherwise specified. Anyone requiring access outside of these hours or beyond our published deadlines is subject to a non-negotiable per diem rate at Corporate Assets Inc.'s sole discretion.
- 11. No articles shall be removed while the auction is in progress
- 12. NO EQUIPMENT/ARTICLE(S) SHALL LEAVE THE PREMISES UNTIL ALL THE AFOREMENTIONED HAVE BEEN COMPLETED TO THE SATISFACTION OF CORPORATE ASSETS INC 'S ON-SITE REPRESENTATIVE

These terms and conditions together with any amendments or modifications expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of articles at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided.

All invoices must be paid in full before commencement of removal. Check with Corporate Assets Inc.'s site representative and Accounting Department if you have any guestions.

Lot	Description	
Lot	Description	
1	NAMSUN NSL450-1500 GAP BED ENGINE LATHE WITH 21" SWING OVER BED, 60" DISTANCE BETWEEN CENTERS, 2" SPINDLE BORE, SPEEDS TO 1400 RPM, 10" 3-JAW CHUCK, S/N: 18014 (CI)	
2	MAS FNK 25 VERTICAL MILLING MACHINE WITH 11.5"X49" TABLE SPEEDS UP TO 4500 RPM, S/N: N/A (CI)	
3	6" MACHINE VISE, S/N: N/A (CI)	
4	LOT/ TOOL HOLDERS & COLLETS	
5	PRVOMAJSKA G-01 VERTICAL MILLING MACHINE WITH 12"X43" TABLE, SPEEDS TO 2760 RPM, OPTIONAL SLOTTING HEAD, COOLANT, S/N: 02678336 (CI)	
5A	RACER MACHINERY (2004) RMC 4 WITH FAGOR 2-AXIS DRO, AL-300S POWER FEED, ALIGN POWER DRAW BAR, SPEEDS TO 3,800 RPM, 575V/3PH/60HZ, S/N 5572 (CI)	
5B	PROTO TRAK DPMV5 CNC BED TYPE MILLING MACHINE WITH PROTO TRAK VM CNC CONTROL, 12" X 50" TABLE, TRAVELS: X-40", Y-20", Z-20.5", #40 TAPER SPINDLE, SPEEDS TO 4,000 RPM, 20.5" MAX DISTANCE SPINDLE NOSE TO TABLE TOP, 1,320 LB MAX. WEIGHT OF WORKPIECE, 220V/3PH/60HZ, S/N 034BK12445 (CI)	
6	CHEVALIER FSG-1628 AD HYDRAULIC SURFACE GRINDER WITH 16"X27.5" ELECTROMAGNETIC CHUCK, 14" GRINDING WHEEL, COOLANT, S/N: G2828002 (CI)	
7	BERGONZI 4' RADIAL ARM DRILL WITH 10" COLUMN, S/N: N/A (CI)	
8	17.5"X25.5" X 17" T-SLOT BOX TABLE, S/N: N/A (CI)	
9	6" MACHINE VISE, S/N: N/A (NO HANDLE)	
10	MAS V050 6' RADIAL ARM DRILL WITH SPEEDS TO 2,500 RPM, S/N: 3246 (CI)	
11	40"X29.75"X19.75" T-SLOT BOX TABLE, S/N: N/A (CI)	
12	HAVLIK Z3080X25 8' RADIAL ARM DRILL WITH 24" COLUMN, SPEEDS TO 1250 RPM, S/N: 296 (CI)	

1	D :::	İ
Lot	Description	
13	MATSUURA MC-900H-63-PC2S CNC TWIN-PALLET HORIZONTAL MACHINING CENTER WITH FANUC SERIES 15-M CNC CONTROL, (2) 24.75"X24.75" PALLETS, TRAVELS: X - 37.4"; Y - 28.3"; Z - 29.92", SPEEDS TO 6,000 RPM, 50 TAPER SPINDLE, 50 STATION ATC, COOLANT, CHIP CONVEYOR, S/N: 90008479 (CI)	
14	REX B45JM 45 KVA TRANSFORMER, 600-208-120V/3PH/60HZ, S/N: J 93 (CI)	
15	NU-WAY SIGMA SDV-3224 CNC BRIDGE- TYPE VERTICAL MACHINING CENTER WITH FANUC SERIES 18I-MB CNC CONTROL, 118"X86" TABLE, TRAVELS: X - 125.98"; Y - 94.48"; Z - 29.92", 98.42" DISTANCE BETWEEN COLUMNS, SPEEDS TO 4,000 RPM, 50 TAPER SPINDLE, 20 STATION ATC, COOLANT, CHIP CONVEYOR, S/N: DV-32057	
16	SGS TRANSFORMER, 415-400-380-220V/3PH, S/N: N/A (CI)	
17	WINTEC DMV-3000 CNC BRIDGE-TYPE VERTICAL MACHINING CENTER WITH FANUC OM CNC CONTROL, 118"X49.5" TABLE, TRAVELS: X - 125.98"; Y - 55.12"; Z - 20", SPEEDS TO 3,000 RPM, 50 TAPER SPINDLE, 60 STATION ATC, COOLANT, CHIP CONVEYOR, S/N: W70035 (CI)	
18	LEADWELL MCV-2000D CNC VERTICAL MACHINING CENTER WITH FANUC OM CNC CONTROL, 85"X33.75" TABLE, TRAVELS: X - 80.3"; Y - 40"; Z - 28.3", SPEEDS TO 4,000 RPM, 50 TAPER SPINDLE, 20 STATION ATC, COOLANT, S/N: L712086 (CI)	
19	BERARDI 5" MODULAR TABLE-TYPE HORIZONTAL BORING MILL WITH RETROFIT HEIDENHAIN TNC 530 CNC CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, 50 STATION ATC, TRAVELS: X - 98.43"; Y - 78.74"; Z - 27.55"; W - 42.27", SPEEDS TO 4,000 RPM, TWIN-PALLET APC WITH (2) 60" X60" PALLETS, COOLANT, S/N: N/A (CI)	
20	REX BA65J1N1 65 KVA TRANSFORMER, 575-400-231V/3PH/60HZ, S/N: B 98586 (CI)	

Lot	Description	
21	TOS VARNSDORF WPD 130 CNC FLOOR-TYPE HORIZONTAL BORING MILL WITH HEIDENHAIN CNC CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 98.42"; Y - 70.86"; Z - 49.21"; W - 31.49", SPEEDS TO 3,000 RPM, (2) 118"X157.5" FLOOR PLATES, 80"X80" ROTATING TABLE, COOLANT, CHIP CONVEYOR, S/N: 0206 (CI)	
22	REX DC118JX/K4 118 KVA TRANSFORMER, 600-400-231V/3PH/60HZ, S/N: A 89922 (CI)	
23	TOS VARNSDORF WHN 13 CNC TABLE- TYPE HORIZONTAL BORING MILLS WITH HEIDENHAIN CNC TNC 415 CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 165.35"; Y -98.42"; Z - 49.21"; W - 31.49", SPEEDS TO 3,000 RPM, 86.5"X70.75" ROTATING TABLE, COOLANT, CHIP CONVEYOR, S/N: 0503 (CI)	
24	REX B150JR 150 KVA TRANSFORMER, 600-380-220V/3PH/60HZ, S/N: A 24637 (CI)	
25	TOS VARNSDORF WHN 138 CNC TABLE- TYPE HORIZONTAL BORING MILLS WITH HEIDENHAIN CNC CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 137.79"; Y - 98.42"; Z - 31.49"; W - 49.21", SPEEDS TO 1,200 RPM, 86.5"X71" ROTATING TABLE, COOLANT S/N: 1410 (CI)	
26	REX DC93JX/K4 93 KVA TRANSFORMER, 600-400-231V/3PH/60HZ, S/N: A 87968 (CI)	
27	HOAYANG 6FBR6913 CNC FLOOR-TYPE HORIZONTAL BORING MILL WITH FAGOR CNC 8065-M CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 464.26"; Y - 144.00"; Z - 31.75"; W - 29.75", SPEEDS TO 1,500 RPM (IN 2 RANGES), 44'11"X10'2" SECTIONAL TABLE WITH (5) 60"X119.5" SECTIONS, (3) 60"X22" SECTIONS, (1) 60"X120" SECTION, COOLANT, CHIP CONVEYOR, S/N: HHT130201410 (CI)	
28	JVC DH3-150B-182C 125 KVA TRANSFORMER, 575-460-400V/3PH/60HZ, S/N: 33110-125 (CI)	

SURPLUS ASSETS OF GP CUSTOM METALS

Lot	Description	
29	TOS VARNSDORF (2007) WHN 13 CNC TABLE-TYPE HORIZONTAL BORING MILLS WITH HEIDENHAIN CNC TNC 415 CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, SPEEDS TO 3,000 RPM, 98.5"X70.75" ROTATING TABLE, COOLANT, CHIP CONVEYOR, S/N: 3137 (CI)	
30	JVC DH3-112*C-89 95 KVA TRANSFORMER, 600-400V/3PH/60HZ, S/N: 27147-95 (CI)	
31	TOS VARNSDORF WHN 138 CNC TABLE- TYPE HORIZONTAL BORING MILLS WITH HEIDENHAIN CNC CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 137.79"; Y - 98.42"; Z - 31.49"; W - 49.21", SPEEDS TO 1,200 RPM, 86.5"X71" ROTATING TABLE, COOLANT S/N: 0524 (CI)	
32	REX 30 KVA TRANSFORMER, 600-380-220V/3PH/60HZ, S/N: A 41123 (CI)	
33	TOS VARNSDORF WHN 138 CNC TABLE- TYPE HORIZONTAL BORING MILLS WITH HEIDENHAIN CNC CONTROL, 5" DIAMETER SPINDLE, 50 TAPER SPINDLE, TRAVELS: X - 137.79"; Y - 98.42"; Z - 31.49"; W - 49.21", SPEEDS TO 1,200 RPM, 86.5"X71" ROTATING TABLE, COOLANT S/N: 0701 (CI)	
34	REX 30 KVA TRANSFORMER, 600-380-220V/3PH/60HZ, S/N: A 48789 (CI)	
35	LOT/ (22) TOOL HOLDERS (CI)	
36	LOT/ (15) TOOL HOLDERS (CI)	
37	LOT/ (15) TOOL HOLDERS (CI)	
38	LOT/ (20) TOOL HOLDERS (CI)	
39	LOT/ (24) TOOL HOLDERS (CI)	
40	LOT/ TAPERSHANK OFFSET BORING HEADS (CI)	
41	SPINDLE SUPPORT, S/N: N/A (CI)	
42	LOT/ (2) SPINDLE SUPPORTS (CI)	
43	LOT/ RIGHT ANGLE MILLING HEAD & SUPPORTS (CI)	
44	LOT/ RIGHT ANGLE MILLING HEAD & (2) CHUCKS (CI)	
45	LOT/ RIGHT ANGLE MILLING HEAD & SPINDLE SUPPORT (CI)	
46	LOT/ (2) SPINDLE SUPPORTS (CI)	
47	LOT/ CHUCKS & BACKING PLATES (CI)	

Lot	Description	
48	LOT/ SPINDLE SUPPORTS, CHUCK & ACCESSORIES (CI)	
49	LOT/ (4) SPINDLE SUPPORTS (CI)	
50	RIGHT ANGLE EXTENSION MILLING HEAD, S/N: N/A (CI)	
51	UNIVERSAL MILLING HEAD, S/N: N/A (CI)	
52	LOT/ (1) RIGHT ANGLE & (1) UNIVERSAL MILLING HEAD (CI)	
53	RIGHT ANGLE EXTENSION MILLING HEAD, S/N: N/A (CI)	
54	LOT/ (2) RIGHT ANGLE MILLING HEADS (CI)	
55	LOT/ SPINDLE SUPPORTS & MILLING HEADS (CI)	
56	SPINDLE SUPPORT, S/N: N/A (CI)	
57	SPINDLE SUPPORT, S/N: N/A (CI)	
58	LOT/ LATHE ACCESSORIES & TOOLING (CI)	
59	LOT/ LATHE TOOL HOLDERS & BORING BARS (CI)	
60	LOT/ LATHE ACCESSORIES (CI)	
61	LOT/ PALLET OF 50 TAPER TOOLING & ACCESSORIES	
62	LOT/ PALLET OF FACE MILLS	
63	LOT/ PALLET OF TOOL HOLDERS	
64	LOT/ PALLET OF TOOL HOLDERS & FACE MILLS	
66	LOT/ PALLET OF TOOL HOLDERS, FACE MILLS & CHUCKS	
67	LOT/ PALLET OF TOOL HOLDERS	
68	LOT/ PALLET OF TOOL HOLDERS	
69	LOT/ PALLET OF TOOL HOLDERS	
70	LOT/ PALLET OF TOOL HOLDERS	
71	LOT/ PALLET OF TOOL HOLDERS	
72	LOT/ PALLET OF TOOL HOLDERS	
73	LOT/ PALLET OF TOOL HOLDERS & FACE MILLS	
74	BOMAR (2014) WORKLINE 610.450 DGH HORIZONTAL BANDSAW WITH ELGO READOUT, COOLANT, 3X230V/3PH/60HZ, S/N 203/V4.0/015 (CI)	
75	FREE PORT (2002) SGS-816H SURFACE GRINDER WITH 2HP SPINDLE MOTOR, 575V/3PH/60HZ, S/N 91**3 (CI)	

76 BRIDGEPORT MILLING MACHINE WITH 1 HP MOTOR, S/N N/A (CI)  77 FIRST LC-18VA MILLING MACHINE WITH SPEEDS TO 4,500 RPM, S/N 78110999 (CI)  78 REMI-EISELE (2005) VMS 300COLD CUT SAW WITH IN/OUT-FEED CONVEYORS, 600V/3PH/60HZ, S/N 41113596/2 (CI)  79 BUSY BEE B842 DRILL PRESS, 115V/1PH/60HZ, S/N 48984 (CI)  80 RIDGID VERTICAL BAND SAW, S/N N/A  81 HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	Lot	Description	
MOTOR, S/N N/A (CI)  77 FIRST LC-18VA MILLING MACHINE WITH SPEEDS TO 4,500 RPM, S/N 78110999 (CI)  78 REMI-EISELE (2005) VMS 300COLD CUT SAW WITH IN/OUT-FEED CONVEYORS, 600V/3PH/60HZ, S/N 41113596/2 (CI)  79 BUSY BEE B842 DRILL PRESS, 115V/1PH/60HZ, S/N 48984 (CI)  80 RIDGID VERTICAL BAND SAW, S/N N/A  81 HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A		•	
SPEEDS TO 4,500 RPM, S/N 78110999 (CI)  REMI-EISELE (2005) VMS 300COLD CUT SAW WITH IN/OUT-FEED CONVEYORS, 600V/3PH/60HZ, S/N 41113596/2 (CI)  BUSY BEE B842 DRILL PRESS, 115V/1PH/60HZ, S/N 48984 (CI)  RIDGID VERTICAL BAND SAW, S/N N/A  HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  HOBART TR-250 WELDING POWER SOURCE, S/N N/A  KESAB 352 CC WELDING POWER SOURCE, S/N N/A  KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  ST ESAB 352 CC WELDING POWER SOURCE, S/N N/A  RIGID TABLE SAW, S/N N/A  BOSCH TABLE SAW, S/N N/A  MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  SAIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A		MOTOR, S/N N/A (CI)	
SAW WITH IN/OUT-FEED CONVEYORS, 600V/3PH/60HZ, S/N 41113596/2 (CI)  79 BUSY BEE B842 DRILL PRESS, 115V/1PH/60HZ, S/N 48984 (CI)  80 RIDGID VERTICAL BAND SAW, S/N N/A  81 HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	77	SPEEDS TO 4,500 RPM, S/N 78110999 (CI)	
115V/1PH/60HZ, S/N 48984 (CI)  80 RIDGID VERTICAL BAND SAW, S/N N/A  81 HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	78	SAW WITH IN/OUT-FEED CONVEYORS,	
81 HUSKY 1.5HP PORTABLE COMPRESSOR WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	79		
WITH 125 PSI MAX. PRESSURE, 8 GALLON TANK, S/N N/A  82 CAMPBELL HAUSFELD 4HP PORTABLE COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  90 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	80	RIDGID VERTICAL BAND SAW, S/N N/A	
COMPRESSOR, S/N N/A  83 HOBART TR-250 WELDING POWER SOURCE, S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	81	WITH 125 PSI MAX. PRESSURE, 8 GALLON	
S/N N/A  84 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	82		
S/N N/A  85 PROGRESS MACHINE PMC-312-6 10' STROKE SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	83	•	
SANDER, S/N N/A (CI)  86 KING INDUSTRIAL (2010) KC-712BC 7" X 12" METAL CUTTING HORIZONTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	84		
METAL CUTTING HÒRIZÓNTAL BANDSAW WITH HYDRAULIC FEED, S/N 0070861 (CI)  87 ESAB 352 CC WELDING POWER SOURCE, S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	85		
S/N N/A  88 RIGID TABLE SAW, S/N N/A  89 BOSCH TABLE SAW, S/N N/A  90 LOT/ BALANCE BLOCK SET  91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	86	METAL CUTTING HÖRIZÓNTAL BANDSAW	
89 BOSCH TABLE SAW, S/N N/A 90 LOT/ BALANCE BLOCK SET 91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A 92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A 93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A 94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A 95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A 96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	87	·	
90 LOT/ BALANCE BLOCK SET 91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A 92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A 93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A 94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A 95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A 96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	88	RIGID TABLE SAW, S/N N/A	
91 MITUTOYO 36"-40" OUTSIDE MICROMETER, S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	89	BOSCH TABLE SAW, S/N N/A	
S/N N/A  92 STARRETT 30"-36" OUTSIDE MICROMETER, S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	90	LOT/ BALANCE BLOCK SET	
S/N N/A  93 MITUTOYO 24"-30" OUTSIDE MICROMETER, S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	91	,	
S/N N/A  94 STARRETT 42"-48" OUTSIDE MICROMETER, S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	92		
S/N N/A  95 MITUTOYO 18"-24" OUTSIDE MICROMETER, S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	93	•	
S/N N/A  96 ASIMETO 12"-16" OUTSIDE MICROMETER, S/N N/A	94		
S/N N/A	95		
97 BALANCING FIXTURE. S/N N/A	96		
, -,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	97	BALANCING FIXTURE, S/N N/A	

SURPLUS ASSETS OF GP CUSTOM METALS

Lot	Description	
99	MITUTOYO 12"-16" OUTSIDE MICROMETER, S/N N/A	
100	MITUTOYO 0MM-300MM OUTSIDE MICROMETER, S/N N/A	
102	BREVETTI AFFRI HARDNESS TESTER, S/N N/A	
103	STARRETT 71.5" X 144.0" X 20.5" CRYSTAL PINK SURFACE TABLE (TOTAL HEIGHT APPROX. 35", APPROX. 22,000 LBS., S/N N/A (CI)	
104	LOT/ PALLET OF INSPECTION EQUIPMENT	
105	ACCURITE 84.0" X 168.0" 11.5" SURFACE TABLE (TOTAL HEIGHT APPROX. 35") - APPROX. 19,000 LBS., S/N N/A (CI)	
106	MITUTOYO INSIDE MICROMETER, S/N N/A	
107	BORE GAUGE, S/N N/A	
108	TRANE CRHR400D3B0AR2J0C0 COMPRESSOR, S/N N07G10371	
109	HAMMOND 15 KVA TRANSFORMER, 240/600V, S/N N/A	
110	MFG UNKNOWN 5 TON CRANE WITH 30 FT SPAN, STAHL 5 TON HOIST, S/N N/A (CI	
111	CURTISS-WRIGHT 10HP COMPRESSOR, 575V/3PH/50HZ, S/N N/A (CI)	
113	LOT/ PALLET OF LATHE TOOLING	
114	HYPERTHERM MULTICAM (2022) 3000 SERIES PLASMA CUTTING TABLE WITH HYPERTHERM XPR300 PLASMA CUTTING POWER SOURCE, HYPERTHERM HPR PLASMA IGNITION/GS CONSOLE, 3X220V/3PH/50-60HZ, S/N 3-204-P-WTX-14812 (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
115	SAHINLER (2016) HPK-65 PIPE BENDING MACHINE, 575V/3PH/60HZ, S/N 290964 (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
116	PIRANHA PII88 88TON IRONWORKER WITH 1-1/16" DIA THRU 1" PUNCH CAPACITY, 3/4" X 8" FLAT BAR CAPACITY, 1-3/4 X 4" X 1/2" NOTCHER, S/N N/A (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	

Lot	Description	
117	TECHSTAR (2012) CS-315 COLD CUT SAW WITH 2 HP MOTOR, 315MM X 2MM X 32MM BLADE SIZE, S/N 01205232 (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
118	SIMAZV (2010) AF-B CORNER NOTCHER, 575V/3PH/60HZ, S/N C 3525 (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
119	DOUCET BELT SANDER, S/N N/A (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
120	DOUBLE END SANDER/BUFFER, S/N N/A (CI) (LOCATED AT 1241 KERRISDALE BLVD, NEWMARKET, ONTARIO, L3Y 8W1)	
121	COLCHESTER TRIUMPH 2000 ENGINE LATHE WITH 8" 3-JAW CHUCK, SPEEDS TO 2,000 RPM, 2-AXIS DRO, S/N 6/0010/10339 (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
122	MINJ JEN AUTOMATIC HIGH SPEED PIPE BENDER, S/N N/A (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
123	WALTER COLD CUT SAW WITH 8" BLADE, IN/OUT-FEED CONVEYORS, S/N N/A (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
124	JET 7" X 12" HORIZONTAL METAL CUTTING BANDSAW, 270 SFPM, S/N 08074561 (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
125	BUFFALO NO 15 DRILL PRESS, S/N 608881 (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
126	CHICAGO PNEUMATIC 10HP AIR COMPRESSOR, S/N N/A (CI) (LOCATED AT 5670 TIMBERLEA BLVD, MISSISSAUGA, ONTARIO, L4W 4M6)	
127	LOT/ CONTENTS OF ROOM CONSISTING OF WIP AUTOMATIC SAFETY CLOSURE GATES WITH SENSORS, COMPONENTS, STAINLESS STEEL RAILINGS, WIRE, BEARINGS & HARDWARE	

Lot	Description	
128	LOT/ CONTENTS OF ROOM CONSISTING OF WIP AUTOMATIC SAFETY CLOSURE GATES WITH SENSORS, COMPONENTS, WIRE, STAINLESS STEEL RAILINGS & HARDWARE	
129	LOT/ RACK WITH CONTENTS CONSISTING OF FITTINGS, HARDWARE & SUPPLIES	
130	LOT/ (3) STAINLESS STEEL TURNSTILES	
131	LOT/ STAINLESS STEEL RAILINGS	
132	LOT/ WIP AUTOMATIC SAFETY CLOSURE GATES WITH SENSORS	
133	LOT/ STAINLESS STEEL RAILINGS	
134	LOT/ RACK WITH CONTENTS CONSISTING OF TUBE & BAR STOCK	
135	LOT/ CONTENTS OF RACK CONSISTING OF TUBE STOCK, BAR STOCK & FITTINGS	
136	LOT/ CONTENTS OF RACK CONSISTING OF TUBE STOCK, STAINLESS STEEL COVERS & FITTINGS	
137	LOT/ CONTENTS OF RACK CONSISTING OF PARTS, CONSUMABLES, HARDWARE, SURPLUS MATERIAL & WIP	
138	STANCHION STORAGE ROLLING CART, S/N N/A	
139	LARGE DECORATIVE GIRAFFE, S/N N/A	

SURPLUS ASSETS OF GP CUSTOM METALS 3