

# ONLINE AUCTION

**2000+ LOT LARGE PAPERMILL EVENT**

**CORPORATE ASSETS INC**



**MARK YOUR CALENDARS!**

**Wednesday, May 7 • 9:30 AM EDT**

**Thursday, May 8 • 9:30 AM EDT**

**801 Rue des Papetiers,  
Amos, Quebec, J9T 3X5**

**INSPECTION:** Monday, May 5 & Tuesday, May 6 from 9 AM to 4 PM EDT.

**LIVE WEBCAST ONLY BidSpotter**

**MAJOR 2000 LOT & MULTI-MILLION DOLLAR PAPER MILL EVENT!**



AUCTION CONDUCTED BY:

**CORPORATE ASSETS INC**

**“Let Our Experience Be Your #1 Asset”™**

373 Munster Avenue, Toronto, ON, Canada M8Z 3C8

www.corpassets.com • 416.962.9600 • info@corpassets.com

**PROCESS ELECTRICAL INFRASTRUCTURE, TRANSFORMERS AND SWITCHGEAR**



**8 AVAILABLE**

**2000KVA/13,800-600-347V**

Partial view of **BROWN BOVERI** dry type transformers



**4 AVAILABLE**

**2000KVA/13,800-550-318V**

Partial view of **POLYGON** dry type transformers



**20+ AVAILABLE**

**GE MULTILIN RELAYS**

Partial view of **ALLEN BRADLEY CENTERLINE-HVC** motor starter controllers



**2 AVAILABLE**

**NEVER INSTALLED**

**POLYGON** and **BROWN BOVERI** transformer coils



**NEVER INSTALLED**

**EVI CLT** transformer coil



**200+ AVAILABLE**

View of **ALLEN BRADLEY BUL 2100 MCCs**



View of **ALLEN BRADLEY CENTERLINE BUL 2100 MCCs**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



# LARGE CAPACITY DRY TYPE TRANSFORMERS, MCC CABINETS, VFDs & SPARES

**30+ AVAILABLE**



**25 HP TO 1250 HP**

GE SILPAC VFD machine drive cabinets



**60 HP**  
SIEMENS VFD



**4 AVAILABLE**

Partial view of **BROWN BOVERI** dry type transformers



**15+ AVAILABLE**

**GE MULTILIN RELAYS**

**ALLEN BRADLEY CENTERLINE-HVC** 52823 motor starter controllers



**15 AVAILABLE**

**WESTINGHOUSE QS** switchgear units



**50 HP**

**EATON SVX9000 VFD**

## PARTIAL LISTING OF PROCESS ELECTRICAL EQUIPMENT

(2) **BROWN BOVERI** CANADA 2500kva/13,800-2400-1386v/3ph/60hz dry type transformers, s/n 77B-19-P221; 77B-20-222

(5) **BROWN BOVERI** CANADA dry type transformers with 2000kva/13,800-600-347v/3ph/60hz capacity, s/n 77B-14-211; 77B-15-P212; 77B-16-P213; 77B-17-P214; 77B-18-P251

(7) **WESTINGHOUSE** AWP-2 load interrupter switchgear with 13,800v/1200amp/3ph/60hz rating, s/n IT-211; IT-212; IT-213; IT-214; IT-251; IT-221; IT-222

(8) **ALLEN BRADLEY** CENTERLINE-HVC 52822-C switchgear unit with 5000v/1200amp/3ph/60hz bus rating, s/n IT-2221

(8) **ALLEN BRADLEY** CENTERLINE-HVC 52823-C dual motor starter controllers with 5000v/1200amp/3ph/60hz bus rating, (2) **GE MULTILIN** digital motor management relays, 300 amp top starter, 340 amp bottom starter, 600 amp combined rating, s/n n/a

(4) **SCHNEIDER ELECTRIC** PLC controller cabinet w/ **SCHNEIDER ELECTRIC** MODICON DDI PLC modules, s/n PLC1-26-I; PLC1-26-8; PLC1-26-27; PLC5-26-2

**1 HP TO 50 HP**



**15+ AVAILABLE**

Partial view of **EATON SVX** VFDs

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

# THUNE SCREW PRESSES, CLOVE ROTOR PUMP & SS PROCESS PUMPS


**REBUILT 2017**

**3 AVAILABLE**



**60 TPD WITH PRE-DRAIN**

**THUNE EUREKA SP32L ss de-watering screw presses**



**NEVER INSTALLED**

View of **THUNE** SS spare screen

## DE-WATERING SCREW PRESSES

**THUNE EUREKA** (rebuilt VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n n/a (26-C-31)



**NEVER INSTALLED**

View of **THUNE** SS spare casing



**2 AVAILABLE**

**25 X 30**

**RADER** ESW rotary type feeders

**THUNE EUREKA** (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520271 (26-C-32)

**REBUILT 2020**



**COMPLETE R&R BY VALMET**

**INGERSOLL RAND** SERIES 1200 CLOVE rotor pump

**THUNE EUREKA** (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520262 (26-C-61)

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**





**1250 HP**

**24 X 24-28**

**HAYWARD TYLER DG stainless steel centrifugal fan pump**



**16 X 14**

**700 HP**

**ALLIS CHALMERS SH stainless steel centrifugal fan pump**



**25+ AVAILABLE**

**STAINLESS STEEL**

Partial view of **ALLIS CHALMERS** centrifugal pumps



**150 HP**

**2 AVAILABLE**

**PEABODY HOLMES 10x33 positive displacement blowers**



**75 HP**

**3 AVAILABLE**

**INGERSOLL RAND MODEL 14LB CENTRI-SCREEN pressure screen**



**INGERSOLL RAND MODEL LB pressure screen**

### FAN PUMP

**HAYWARD TYLER MODEL 24X24-28 DG large capacity stainless steel centrifugal fan pump with 28,150 gal/min rated capacity, 121' head, 28.5" diameter rotor, CCW rotation, horizontal split design, 1,250 hp drive motor, s/n 6518401 (41-A-08)**


**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

**MAJORITY OF ASSETS ARE AVAILABLE FOR PRE-SALE—CONTACT FOR DETAILS!**



**94 TON/HR**

**RADER** 504 cu/ft cap stainless steel chip surge bin



View of chip bin twin auger feed screws



**2003**

**700 TPD CAPACITY**

**METSO** 140-04 stainless steel inclined twin screw press



**1,770 TPD CAPACITY**

**HYMAC JYLHA** MODEL 200 rotating drum type chip washer



**REBUILT METSO 2019**

**SPARE/NEVER INSTALLED**

**HYMAC** MODEL 6610 325 TPD cap. rotary valve



**2 AVAILABLE**

View of stainless steel de-watering screen



**8" HEAD**

**150+ AVAILABLE**

Partial view of **HYMAC** RB 200 EH stainless steel cyclone cleaners

**Inspection days are Monday, May 5 & Tuesday, May 6 from 9 AM to 4 PM EDT.**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



# COMPLETE THERMO-MECHANICAL PULPING PLANT WITH 650 TPD CAPACITY

**2 AVAILABLE**



**12 X 30/30**

**IMPCO INGERSOLL RAND** stainless steel rotary type disc filters



**(R&R 2019 ANDRITZ)**

**CE BAUER** MODULAR HYDRASIEVE MODEL 552 SS vertical de-watering screen



View of **HYMAC** TMP atmospheric side equilibrium tanks



**HYMAC** TMP pressurized side equilibrium tanks



**9 AVAILABLE**

View of **HYMAC** JYLHA TMP pressurized feeder and plate refiner



View of **HYMAC** JYLHA TMP cyclones




**SPARES - NOT INSTALLED**

View of **HYMAC** JYLHA TMP plate refiners



View of **IMPCO** disk filter leaves

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**



**ENTIRE CONTENTS of STORES WAREHOUSE featuring MULTI-MILLION DOLLAR AT COST MRO inventory including a HUGE (200+) SELECTION of ELECTRIC MOTORS up to 1,250 HP, HUGE INVENTORY of STAINLESS STEEL valves BRAND NEW AND RECONDITIONED ranging from 2" to 24" diameter, LARGE QTY of stainless steel pump impellers and pump housings, ALLIS CHALMERS high volume corrosion resistant pumps, high shear stainless steel transfer pumps, large quantity of gear boxes, sheaves, sprockets, driveline components, huge inventory of transformers, high and medium voltage wire; spare parts inventory, flow meters, valves, fastening hardware, worm gear boxes, speed reducers, electrical, electronic supplies and components!**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



# COMPLETE STATE OF THE ART MAINTENANCE DEPARTMENT

**63" X 352" CAPACITY**



**RETROFIT VOITH SULZER CNC CONTROL**

**FARREL MODEL 50/63x352 two wheel CNC roll grinder**



**6" TO 24" DIA. CAPACITY**

**HANCHETT SK-24 circular slitter knife grinder**



**89" X 78" CAPACITY**

**IRD MECHANALYSIS MODEL B50**  
dynamic balancing machine



View of retrofit **ENTEK IRD SERIES 290**  
digital controls



**HYMAC** portable in-place refiner plate  
milling machine

**TO SCHEDULE AN AUCTION CONTACT 416.962.9600**

# LARGE CAPACITY CONVENTIONAL MACHINE TOOLS



**63" X 393" CAPACITY**

**POREBA TR-135B1/10M gap bed engine lathe**



**28" X 157" CAPACITY**

**CM TORTONA FERRO 20 gap bed engine lathe**



**21" X 44" CAPACITY**

**KHM TLS gap bed engine lathe**



**CSEPEL RFH 75/2000 radial arm drill**



**STANKO 6R83SH universal milling machine**



**INFRAȚIREA ORADEA  
floor type gear head drill**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**





**HANSFORD DAVIS MODEL 5** keyseater



**17.7" DIA MAX CAP**  
**KASTO EBS 450 power** hacksaw



**36" X 19" CAP**  
**GROB 6V-36 heavy duty floor** type vertical bandsaw



**WADKIN BURSGREEN C9** heavy duty bandsaw



**13" X 19" CAP**  
**TRAJAN GARANT RF-1319DR** swivel head horizontal metal cutting bandsaw



**6"PIPE - 2" BOLT CAP**  
**RIDGID MODEL 535** powered portable pipe threader



**10' SPAN**  
**3 AVAILABLE**  
**TRANSCRANE 2 ton cap.** freestanding jib crane



**20" X 9" CAP**  
**DELTA RC51** heavy duty floor type planer



**KING INDUSTRIAL 6"belt 12" disc** sander



**WADKIN BURSGREEN 12AGS 21"** tilting arbor table saw

**WELDERS**

**MILLER SPECTRUM 1250** portable plasma cutter with cables and gun, s/n KF764085

**MILLER SPECTRUM 500** portable plasma cutter with cables and gun, s/n JK730863

**HYPERTHERM POWERMAX 1650 G3 SERIES** portable plasma cutter with cables and gun, s/n 1650-001075

**THERMAL ARC PAK 5XR** portable plasma cutter with cables and gun, s/n C62447A18323A

**THERMAL ARC PAK 44** portable plasma cutter with cables and gun, s/n M12603A176840D

**MILLER SYNCROWAVE 350LX** portable digital TIG welder with cables and gun, **MILLER COOLMATE 3** liquid chiller, s/n LF046869

**MILLER** portable suitcase welder, s/n n/a



**MILLER 350LX** digital TIG welder



**COMPU SPOT CPS-400 16KVA** portable spot welder



**HYPERTHERM POWERMAX 1650 G3 SERIES** plasma cutter

# FABRICATION EQUIPMENT, ROLLING STOCK & MATERIAL HANDLING AVAILABLE



**12 GA X 8' CAP**

**PEXTO ROPER WHITNEY MODEL 812 conventional brake**



**10 GA X 100" CAP**

**EDWARDS 3.25/2500 DD power shear**



**12 GA X 4' CAP**

**BARER 450 power bending rolls**



**7/16" X 4' CAP**

**WEBB R3L-R 8004 3-roll mechanical initial pinch plate rolls**



**17' BOOM**

**DROTT 3330 6 ton cap. carry deck mobile crane**



**20' REACH**

**SKYJACK SJ3220 electric scissor lift**

## PARTIAL LISTING OF ROLLING STOCK AND MATERIAL HANDLING AVAILABLE

**DROTT 3330 6 ton carry deck mobile crane with 12,000 lbs. capacity, 3-section boom with 17.2' max reach, s/n 6224875 (84-A-72)**

**SKYJACK SJ3220 electric scissor lift with 500 lbs. capacity, 20' max vertical reach, s/n 64658 (84-A-95)**

**HYSTER S80XLBCS LPG forklift with 8,000 lbs. capacity, 3-stage mast with 258" max vertical reach, cushion tires, CASCADES hydraulic paper roll clamp attachment, (may be sold separately), s/n D004V03553L (84-A-8)**

**CONTACT 416.962.9600 TO CONSIGN EQUIPMENT AT AN UPCOMING AUCTION**



**STOCK PREP EQUIPMENT**

**INGERSOLL RAND** (2020 R&R VALMET) SERIES 1200 CLOVE ROTOR pump with 533 TPD dry capacity @ 8% consistency, 75 hp drive motor, s/n 489-R13 (34-A-01)

(4) **INGERSOLL RAND** MODEL 14LB CENTRI-SCREEN vertical centrifugal pressure screens with 10,000 gal/min accept capacity, 14" diameter inlet, 14" diameter accepts outlet, 4" diameter rejects outlet, 0.0625" plate perforations, 3-15% adjustable rejects flow rate, bottom driven with 75 hp drive motor, s/n 97H422 (41-A-39); 5783-L (41-A-38); 5781-L (41-A-37); 5782-L (41-A-36)

(2) **IMPCO INGERSOLL RAND** 12x30/30 stainless steel rotary type disc filter with 280 TPD design rated capacity at 0.5% feed consistency, 55-82 degree C stock temperature, 90-120 CSF freeness; (30) \* 12" diameter discs; knock off shower, sluicing shower and fixed face cleaning shower, INGERSOLL RAND 50 hp helical shaft reducers; bottom discharge with 30" stainless steel screw conveyor; s/n 208 LH (26-C-20); 209 RH (26-C-22)

(2) **S.P. KINNEY** 8" MODEL A stainless steel automatic self cleaning strainers with 3/4 hp drive motor, 1/16" slotted cone strainer, 152 psi MAWP, s/n n/a (26-C-80) (26-C-71)

**HYMAC** P20 single row reject cleaner stand with (20) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 1ST STAGE 6201 (26-C-40)

**HYMAC** P6 single row reject cleaner stand with (6) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 2ND STAGE 6201 (26-C-41)

**HYMAC** P2 single row reject cleaner stand with (2) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n 3RD STAGE 6201 (26-C-42)

**HYMAC** P48 single row reject cleaner stand with (48) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-52)

**HYMAC** P22 single row reject cleaner stand with (22) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-54)

**HYMAC** P4 single row reject cleaner stand with (4) HYMAC RB 200 EH 8" head stainless steel cyclones, s/n n/a (26-C-55)

**CE BAUER** (R&R 2019 ANDRITZ) MODULAR HYDRASIEVE MODEL 552 stainless steel static vertical rejects de-watering screen with 4-72" x 0.040" stainless steel screening surface, 12" diameter inlets, 14" diameter discharge ports, s/n n/a (26-C-33)

**TMP THERMO-MECHANICAL PULPING PLANT**

(2) **PEABODY HOLMES** RBST4 SIZE 10x33 positive displacement blowers with 150 hp drive motor, s/n 46500; n/a (26-A-23) (26-A-28)

(2) **SPROUT BAUER** HYDRASIEVE MODEL 554 stainless steel static vertical wash water de-watering screen with 4-72" x 0.020" stainless steel screening surface, s/n n/a (26-A-21)

(2) **RADER** ESW 25X30 rotary valve type chip feeders, s/n n/a (26-A-24) (26-A-29)

**THUNE EUREKA** (rebuilt VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n n/a (26-C-31)

**THUNE EUREKA** (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520271 (26-C-32)

**THUNE EUREKA** (rebuilt 2017 VALMET) SP32L 3-section stainless steel de-watering screw press with 60 TPD capacity, 12.59" diameter screen with 27 sq/ft screen area, pre-drain section with 0.31" diameter screen holes, pressing section with 0.05" diameter perforation holes, compression section with 0.31" cylindrical screen, 50 hp drive motor, s/n 520262 (26-C-61)

**RADER** 504 cu/ft capacity stainless steel chip surge bin with 94 ton/hour rated handling capacity for 1.5"x 3" x 3" size chips, 18-25 lbs. cu/ft weight range, 12"x8"x7" stainless steel hopper bin, (2) 16" diameter stainless steel discharge auger conveyors, s/n n/a (26-A-11)

**METSO** (2003) 140-04 stainless steel inclined twin screw press chip drainer separator with 700 TPD design capacity, (2) 29.5" diameter X 14'11" L stainless steel augers, speeds to 34 rpm, dual perforate screen troughs with 3/16" diameter hole plates, (2) 25 hp drive motors with gear reducers, s/n P08582 (26-A-51)

**AUTOMATIC PAPER ROLL SAW**

**PACIFIC TRAIL MANUFACTURING** MODEL PRS207FM automatic floor type paper roll log saw with 60" diameter roll capacity, direct driven with 20 hp drive motor, dust collector, safety cage enclosure with interlocks, 575v/3ph/60hz, s/n 201111

**CORE ROOM EQUIPMENT**

**SONOCO** core measuring stand with MITUTOYO DRO, s/n n/a (46-M-41)

**LAR MACHINERIE** 2461-S core cap hydraulic crimper, s/n 22011 (46-M-08)

**CNC ROLL GRINDER**

**FARREL** MODEL 50/63x352 two wheel CNC roll grinder with (RETROFIT VOITH SULZER) UNIOP CNC control, 50" max roll diameter capacity on-center grinding configuration, 63" max roll diameter offset grinding configuration, 352" max roll face length capacity, 376.75" grinding wheel traverse length, 20" diameter x 3" face max wheel size with 1885-5560 rpm speed range, crowning system, diamond wheel dresser, coolant with deep bed filtration, neck rests and roll support stands, 575v/3ph/60hz, s/n D21-4507 A1272 (81-M-92)

**CNC DYNAMIC BALANCER**

**IRD MECHANALYSIS** MODEL B50 dynamic balancing machine with retrofit ENTEK IRD SERIES 290 digital balancing instrument, 5,000 lbs. max workpiece weight, 89" swing over frame, 59" swing over the drive system, 10"-78" working length range, 13" max shaft journal diameter, s/n 0154 (81-M-13)

**SLITTER KNIFE GRINDER**

**HANCHETT** SK-24 circular slitter knife grinder with 6"-24" diameter slitter knife capacity, 6"x0.5"x1.25" wheel, speeds to 3,600 rpm, 0-90 degree grinding wheel bevel capability, 11" vertical spindle travel, 12.7" horizontal spindle travel, incremental down feed, coolant, 575v/3ph/60hz, s/n A78

**ALSO:**

LARGE QTY of stainless steel pump impellers and pump housings, ALLIS CHALMERS high volume corrosion resistant pumps, high shear stainless steel transfer pumps, LRG QTY of gear boxes, sheaves, sprockets, driveline components, huge inventory of transformers, high and medium voltage wire; spare parts inventory, flow meters, fastening hardware, worm gear boxes, speed reducers, electronic supplies & components; LISTA cabinets; LRG QTY of factory support equipment & MUCH MORE!

# 2000+ LOT LARGE PAPERMILL EVENT

May 7 & May 8  
Amos, Quebec, Canada



**PACIFIC TRAIL Mfg**  
PRS207FM paper roll saw



**LAR MACHINERIE** 2461-S core cap hydraulic crimper



Partial view of stock material available



Partial view of stock material available



Partial view of stock material available

**THIS IS A PARTIAL LISTING ONLY! FOR FURTHER INFORMATION, PLEASE VISIT [WWW.CORPASSETS.COM](http://WWW.CORPASSETS.COM)**

## AUCTION DETAILS

**LIVE WEBCAST ONLY**

### INSPECTION

Monday, May 5 & Tuesday, May 6 from 9 AM to 4 PM EDT.

### REMOVAL

All assets must be removed no later than Friday, June 27 by appointment only. Further details coming soon. Please email [info@corpassets.com](mailto:info@corpassets.com) to arrange.

### TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

### PAYMENT

A Buyer's Premium will apply at this sale. International & online bidders may need a refundable deposit to bid. **SALE WILL BE CONDUCTED IN USD.**

Please refer to our website at [www.corpassets.com](http://www.corpassets.com) or call 416.962.9600 for further information. Pour les services en français, composez le 1.855.583.5551

**We Accept**



Please visit our website as specific terms and conditions may apply.

**BID ONLINE AT: BidSpotter**

### AFFILIATIONS



©2024 CORPORATE ASSETS INC. ALL RIGHTS RESERVED.

## SURPLUS EQUIPMENT?

TURN IDLE ASSETS INTO **CASH!**

## WE BUY & SELL YOUR SURPLUS MACHINERY

ONE MACHINE OR ENTIRE PLANTS, WE HAVE OVER 60 YEARS EXPERIENCE TO SELL YOUR EQUIPMENT AT FAIR MARKET VALUE.

**CONTACT US TODAY TO LEARN MORE! 416.962.9600**

**SUBSCRIBE TO OUR NEWSLETTER AND GET THE LATEST AUCTION UPDATES**

**CORPORATE ASSETS INC**

[corpassets.com/newsletter-signup](http://corpassets.com/newsletter-signup)